

Subject Index

- Accumulators (*see* Thermal storage)
- ACTDP cryocooler development, 1
- ADR (*see* Magnetic refrigerators)
- Adv. Mechanical Tech., Inc., 587
- Advanced Research Systems, Inc., 411
- Aerospace Corporation, 225
- Air Force Research Lab (AFRL):
 - Astrium 10K cooler testing, 59
 - Ball 35K/60K PSC testing, 51
 - linearity of flexure suspension systems, 255
 - modeling periodic flow in regenerators, 555
 - research initiative overview, 9
 - TRWHCC two-stage PT cooler, 219
- Air Liquide DTA (France):
 - 50-80K PT cooler for space, 165
 - high capacity 5W-80K PT cooler, 131
 - high capacity Stirling cooler for ISS, 31
 - sub-Kelvin sorption/PT cooler, 669
- AIRS instrument cryocoolers:
 - ground and in-space performance, 747
 - in NASA cooler programs overview, 1
- Aisin Seiki 4K pulse tube, 309
- Alabama Cryogenic Engineering, 483
- Ames Research Center (NASA):
 - LMA pulse tube flight experiment, 777
 - TRWHECPT cooler testing, 199
- Ames Laboratory (Iowa State Univ.):
 - low temp. regenerator mat'ls overview, 457
- AMS-2 spectrometer:
 - qualification of coolers for, 1, 37
 - cooler operation in high magnetic fields, 761
- APD Cryogenics:
 - Cryotiger in SQUID application, 789
- Applications of cryocoolers (*see* Integration with cryocoolers)
- ARC (auto-refrigerating-cascade) cycle, 595
- ARC, NASA (*see* Ames Research Center)
- ASTER flight cooler performance, 737
- Astrium cryocoolers (formerly BAe and MMS):
 - 10K 2-stage testing at AFRL, 59
 - 50-80K MOPITT cooler performance, 727
 - active vibration cancellation systems, 771
 - miniature space pulse tube cooler, 173
- Atlas Scientific, 199, 349
- Ball Aerospace cooler activities:
 - 6K ACTDP hybrid Stirling/J-T cooler, 1
 - 35K/60K PSC testing at AFRL, 51
 - multistage Stirling cooler development, 45
 - optical cooling mirror leakage effects, 687
 - parallel plate heat exchangers, 507
 - Redstone hybrid 10K J-T/GM cooler, 579
- Bearings:
 - flexures in tactical coolers, 17, 69
 - flexures in space coolers, 31
 - linearity of flexure suspension systems, 255
- Brayton cycle cryocoolers (*see* Reverse-Brayton cryocoolers)
- British Aerospace (BAe) cryocoolers (*see* Astrium cryocoolers)
- Calif. Institute of Tech. (*see also* Jet Prop. Lab):
 - sub-Kelvin cooler for Polatron, 651
- CEA/SBT (France):
 - 50-80K PT cooler for space, 165
 - high capacity 5W-80K PT cooler, 131
 - miniature space pulse tube cooler, 173
 - piston resonance in orifice PT, 265
 - sub-Kelvin sorption/PT cooler, 669
- Chinese Academy of Sciences, Cryogenics Lab:
 - 40-80K linear-compressor PT cooler, 115
 - 60K PT cooler system design, 123
 - capillary tube expanders for mixed gases, 609
 - dc flow, caused by regen nonlinearities, 425
 - dephlegmation separator for mixed gases, 603
 - GM-type coaxial PT cooler experiments, 317
 - nonmetallic pulse tube for SQUIDs, 799
 - oscillating regenerator flow at low temp., 539
 - role of PT orifice and secondary bypass, 361
 - thermoacoustic device analysis, 431
 - thermoacoustics, high freq. operation, 439
 - thermoacoustics, influence of convection, 447
 - thermoacoustics, onset temp gradient, 421
 - vortex tube applied to auto-cascade J-T, 621
 - vortex tube modeled as heat exchanger, 615
- CMC Electronics:
 - tactical cooler lifetest results, 79
- Collins-type 10K cryocooler, 587
- Compressors:
 - hybrid sorption compressor elements, 627
 - linearity of linear suspension systems, 255
 - producibility of linear compressors, 275
 - reverse Brayton, 571
 - scaling of linear compressors, 247

- Conductance, of bonded regenerator mat'ls, 517
- Contamination:
 in LMA PT cooler flight experiment, 777
 overview, for low-e surfaces in space, 727
- Creare Cryocoolers:
 6K ACTDP cooler development, 1, 571
 6K Brayton cooler developments, 571
 NICMOS rev-Brayton, 1, 563
- Cryogenic Ltd (UK), 813
- Cryomech, Inc:
 4K and 10K pulse tubes, 293
 4K precooler for sub-Kelvin sorption, 669
- Cryotiger, integration of SQUIDs with, 789
- DC flow:
 caused by natural convection, 447
 caused by regenerator nonlinearities, 425
- Dephlegmation separator, 603
- Dilution refrigerator on 4K PT, 669
- DRS tactical Stirling coolers, 17
- Dynacs Engineering, 59, 51
- Eindhoven Univ. of Technology, 283
- Electric field emissions (*see* EMI/EMC measurements and suppression)
- Electromagnetic interference (*see* EMI/EMC measurements and suppression)
- Electronics, vibration cancellation, 771
- EMI/EMC measurements and suppression:
 HTS SQUID applications, 789, 799
 operation of coolers in high mag fields, 761
 Polatron microwave receiver, 651
- Erbium regenerator materials (*see* Regenerators)
- European Space (ESA/ESTEC) activities:
 50-80K PT cooler for space, 165
 Astrium miniature space PT cooler, 173
 Lockheed 2.7W-80K PT cooler, 205
- Flexible thermal links, 205, 709
- Flexure bearings (*see* Bearings)
- Friedrich-Schiller-Universität, Jena, 337
- Fuji Electric 70K commercial PT cooler, 157
- Fujitsu, Ltd., 737
- Gas-gap heat switches (*see* Heat switches)
- Gedeon Associates, 139
- General Electric MRI applications, 805
- Georgia Institute of Tech., 547
- Gifford-McMahon Cryocoolers:
 improvement at 4K using GOS, 403
 regenerator degradation analysis, 805
 thermal hysteresis at 4K, 411
- Gimbal mount:
 thermal transport system for, 693
 vibration reduction for, 717
- Goddard Space Flight Center (NASA):
 continuous magnetic refrigerator, 661
 NASA cooler program overview, 1
 operation of coolers in high mag fields, 761
 qualification of coolers for AMS-02, 37
- RHESSI on-orbit performance, 755
- GOS regenerator material (*see* Regenerators)
- Heat conduction (*see* Conductance)
- Heat exchangers:
 compact high-effect. parallel plate, 507
- Heat pipes:
 cryogenic, 709
 Swales development and testing of, 693
- Heat switches:
 Swales development and testing of, 693
- HESSI (*see* RHESSI)
- High temperature superconductor applications (*see* Integration of Cryocoolers with)
- HIRDLS instrument cryocoolers, 1
- Holmium regenerator materials (*see* Regenerators)
- HTS applications (*see* Integ. of cryocoolers with)
- Huazhong Univ. (China), 439
- Hybrid multistage coolers:
 Ball 6K ACTDP J-T/Stirling, 1
 dilution refrigerator on 4K PT, 669
 Redstone 10K J-T/GM cooler, 579
 sub-Kelvin sorption on 4K PT cooler, 669
 TRW 6K ACTDP J-T/PT, 1
- Hydrides (*see* Sorption cryocoolers)
- Hymatic Engineering Co:
 producibility of linear compressors, 275
 scaling of linear compressors, 247
- IGC-APD Cryogenics (*see* APD Cryogenics)
- INTEGRAL mission coolers, 205, 771
- Integration of cryocoolers with:
 gimbal mounts, 693, 717
 heart monitor, 789
 heat pipes, 693, 709
 heat switches, 693
 low-emittance surfaces, 727
 MRI systems, 805
 Polatron GHz receiver, 651
 space experiments (*see* Space experiments)
 space instruments (*see* Space instruments)
 SQUIDs, 789, 799
 superconductive generators, 805
 superconductive magnet systems, 813
 thermal storage, 233, 693
 vibration control systems, 109, 717, 771
- ISAMS, in-space cooler performance, 727
- J-T cryocoolers:
 Ball ACTDP 6K cooler development, 1
 capillary tube expanders for mixed gases, 609
 Cryotiger for cooling SQUIDs, 789
 dephlegmation separator for mixed gases, 603
 mixed-gas auto-cascade J-Ts, 595
 Redstone hybrid 10K J-T/GM cooler, 579
 superfluid compressor performance, 675
 TRW ACTDP 6K cooler development, 1
 vortex tube applied to auto-cascade J-T, 621
 vortex tube modeled as heat exchanger, 615
- JAMI flight coolers, 191

- Jet Propulsion Lab:
 ACTDP cooler development program, 1
 AIRS PT cooler in-space performance, 747
 contamination of low- ϵ surfaces, 727
 NASA cooler program overview, 1
 Planck hydride compressor elements, 627
 Planck EBB breadboard cooler testing, 637
 Joule-Thomson Cryocoolers (*see* J-T cryocoolers)
- Kleemko cycle refrigerator, 595
 Kogakuin Univ., 467
 Konoshima Chemical Co., 473
 Korea Adv. Inst. of Sci. and Tech.:
 surface heat pumping loss in PT, 371
 regenerator model with oscillating flow, 531
 Korea Inst. of Machinery and Materials:
 linear free-piston Stirling experiments, 95
 linear free-piston Stirling modeling, 103
- Leybold Vacuum GmbH:
 5W-80K pulse tube cooler, 149
 Life estimation methods, 79, 87
 Life test results:
 Ball Aerospace 35K/60K, 51
 CMC tactical coolers, 79
 Thales tactical coolers, 87
 LIGA-fabricated regenerators, 489
 Lockheed Martin Astronautics Operations:
 pulse tube flight experiment, 777
 Lockheed Martin Advanced Tech. Center:
 6K ACTDP PT cooler development, 1
 10K PT for space applications, 241
 35K two-stage PT cryocooler, 213
 35K/85K high capacity 2-stage PT, 225
 80K2.7W INTEGRALPT devel., 205
 Loop heat pipes, cryogenic, 709
 Loughborough Univ. vibration suppression, 717
- Magnets, helium free cooling of, 813
 Magnetic fields (*see* EMI/EMC):
 cooler operation in high mag fields, 761
 Magnetic refrigerators:
 continuous ADR for below 50 mK, 661
 regenerator materials for (*see* Regenerators)
 refrigerant materials for (*see* Refrigerants)
 Massachusetts Institute of Technology:
 Collins-type 10K cryocooler, 587
 superfluid He J-T refrigerator, 675
 superfluid He Stirling refrigerator, 681
 Materials:
 conductance of (*see* Conductance)
 refrigerants (*see* Refrigerants)
 regenerator (*see* Regenerators)
 Matra Marconi coolers (*see* Astrium coolers)
 Meisei Univ., 467
 Messer Cryothenn GmbH, 595
 Mezzo Systems, 489
 Microcooler, Univ. of Twente sorption, 643
 Microphonics (*see* vibration)
 Mitchell Stirling, 499
- MIT (*see* Massachusetts Institute of Technology)
 Mitsubishi Electric, 737
 Mixed refrigerants (*see* Refrigerants, *and* J-T cryocoolers)
 MOPITT cooler performance, 727
 MRI applications (*see* Integ. of cryocoolers with)
- NASA (*see* individual centers):
 cooler program overview, 1
 NASDA (Japan):
 pressure wave generator for PT, 343
 Nat'l Inst. of Adv. Ind. Sci. & Tech. (Japan), 737
 Nat'l Inst. of Standards and Tech. (*see* NIST)
 NICMOS:
 reverse-Brayton cooler flight data, 563
 in NASA cooler programs overview, 1
 Nihon University:
 4K VM-type pulse tube cooler, 331
 pressure wave generator for PT, 343
 NIST:
 bonded regenerator matrix mat'ls, 517
 LMA pulse tube flight experiment, 777
 LM-ATC high capacity 2-stage PT, 225
 parallel plate heat exchangers, 507
 regenerator loss measurements, 523
 Northrop Grumman:
 Elect. Sensors and Systems, 225
 Space Technology (*see* TRW)
- Optical cooling mirror leakage effects, 687
 Optical Engineering Associates, 687
 Orientation, effect on performance:
 Sunpower pulse tube cooler, 139
 pulse tube off-state conduction, 747
 thermoacoustic driver, 447
- Phase change materials (*see* Thermal Storage)
 Planck sorption coolers
 NASA cooler program overview, 1
 compressor performance testing, 627
 EBB breadboard cooler testing, 637
 Polatron, sub-Kelvin coolers for, 651
 Producibility, of linear compressors, 275
 Pulse tube cryocoolers:
 1.5K³He Eindhoven Univ., 283
 4K two-stage Aisin Seiki, 309
 4K two-stage Sumitomo, 301
 4K VM-type pulse tube cooler, 331
 40-80K linear-compressor Chinese, 115
 50-80K AirLiquide for space, 165
 60K linear-compressor Chinese, 123
 80K-5W high capacity at CEA/SBT, 131
 80K-5W Giessen/Leybold, 149
 Astrium miniature space cooler, 173
 Cryomech 4K and 10K, 293
 Cryomech 4K precooler for sub-Kelvin, 669
 Fuji Electric 70K commercial cooler, 157
 LM-ATC 6K 4-stage ACTDP, 1
 LM-ATC 10K PT for space, 241
 LM-ATC 35K two-stage cooler, 213

- LM-ATC 35K high-capacity cooler, 225
 LM-ATC 80K 2.7W for INTEGRAL, 205
 Raytheon low-cost space cooler, 183
 Raytheon hybrid Stirling/PT for 35K, 233
 Sunpower single and 2-stage, 139
 Thales 80K PT w/flexure bearings, 109
 TRW ACTDP 17K J-T precooler, 1
 TRW AIRS 55K, 1, 747
 TRWHCC 35K/85K two-stage, 219
 TRWHEC, 191, 199, 275
 TRWJAMI, 191
 TRW 58K TES, 1
- Pulse tube theory and investigations:
 1. 5K³He Eindhoven Univ., 283
 4K VM-type pulse tube cooler, 331
 effect of orientation on performance, 139
 GM-type coaxial PT experiments, 317
 He/H₂ mixed gas, use of at 20K, 325
 LMA pulse tube flight experiment, 777
 mass flow control, effect of, 337
 model of hybrid PT/rev-Brayton cooler, 349
 model using method of lines, 379
 nonmetallic, nonmagnetic for SQUIDs, 799
 off-state conduction vs. angle, 747
 piston resonance in orifice PT, 265
 pressure wave generator for PT, 343
 regenerator loss at low temp and high freq, 523
 role of orifice and secondary bypass, 361
 surface heat pumping loss, 371
 thermoacoustic PT with mixed gases, 451
 Univ. of Calgary PT analysis, 389
- Pusan National Univ. (Korea), 95
- RAL (*see* Rutherford Appleton Laboratory)
- Rare earth compounds (*see* Regenerators)
- Raytheon (*formerly Hughes Aircraft*):
 low-cost, lightweight space coolers, 183
 comparison of regenerator models, 547
 PT model using method of lines, 379
 RSP2 hybrid Stirling/PT for 35K, 233
- Raytheon Infrared Operations:
 tactical cryocooler development, 69
- Recuperators:
 for turbo-Brayton coolers, 571
 parallel plate heat exchangers, 507
- Redstone Engineering hybrid 10K J-T, 579
- Refrigerants:
³He for use below 4K, 283
 He/H₂ mixed gas, use in 20K PT, 325
 noble gas mixture for thermoacoustics, 451
 superfluid He, 675, 681
- Regenerators:
 bonded regenerator matrix mat'l's, 517
 comparison of numerical models, 547
 dc flow caused by nonlinearities, 425
 degradation in GM MRI application, 805
 etched foil, improved flow in, 499
 GAP material in 4K PT, 309
 GdSb, properties of, 467
 GOS ceramic mat'l for 4K coolers, 397, 403, 473
- LIGA-fabricated microchannel, 489
 loss meas. at low temp and high freq., 523
 modeling oscillating flow and pressure, 531
 modeling periodic flow in porous media, 555
 nonmetallic, nonmagnetic for SQUIDs, 799
 oscillating regenerator flow at low temp, 539
 overview of low temperature mat'l's, 457
 perforated plates, predictions for, 483
- Reliability of cryocoolers:
 CMC tactical cooler lifetest results, 79
 degradation of low-e surfaces in space, 727
 GM in medical MRI application, 805
 MTTF predictions on Thales coolers, 87
 STI Stirling cooler reliability data, 75
- Reverse-Brayton cryocoolers:
 6K Creare cooler developments, 571
 Creare ACTDP 6K cooler study, 1
 NICMOS operation on HST, 1, **563**
- RHESSI
 in NASA cooler missions overview, 1
 in-space performance, 755
- Ricor vibration protective mount, 717
- Rutherford Appleton Laboratory, 173
- SADA linear tactical cooler overview, 17
- Santa Clara University, 499
- Sorption cryocoolers:
 microcooler, Univ. of Twente, 643
 Planck hydride compressor elements, 627
 Planck EBB breadboard cooler testing, 637
 sub-Kelvin for Polatron, 651
 sub-Kelvin on 4K Cryomech PT cooler, 669
- Space experiments:
 Lockheed Martin Astronautics PT cooler, 777
 Swales thermal integration technologies, 693
- Space instrument missions:
 AIRS, **1, 747**
 ASTER, 737
 HIRDLS, 1
 INTEGRAL, 771, 205
 ISAMS, 727
 JAMI, 191
 MOPITT, 727
 NASA mission summary, 1
 NICMOS, 1, 563
 Planck, 1, 627, 637
 RHESSI, **1, 755**
 TES, 1
- SQUIDs (*see* Integration of cryocoolers with):
 Stirling cryocoolers:
 Air Liquide high capacity for ISS, 31
 ASTER, space performance of, 737
 Astrium 10K cooler testing, 59
 Astrium/MMS 50-80K MOPITT, 727
 Ball multistage cooler development, 45
 Ball 35K/60K PSC testing at AFRL, 51
 CMC tactical cooler lifetest results, 79
 linear tactical for weapon systems, 17
 Oxford 100mW 80K low power, 27
 Oxford/BAe 80K ISAMS, 727

- Raytheon RS1 for Space, 183
- Raytheon RSP2 Stirling/PT for 35K, 233
- Raytheon Infrared Operations tactical, 69
- SADA linear tactical cooler overview, 17
- Sunpower M87N, qual. for AMS-02, 37, 761
- Sunpower space perf. on RHESSI, 755
- Superconductor Tech., Inc., reliability, 75
- Thales tactical coolers, 87
- Stirling cryocooler theory and investigations:
 - dynamic analysis of free-piston linear, 103
 - experimental study of phase shift in linear, 95
 - MTTF prediction for tactical coolers, 87
 - operation in high magnetic fields, 761
 - superfluid He as working fluid, 681
- Sub-Kelvin coolers:
 - continuous ADR, 661
 - dilution refrigerator on 4K PT, 669
 - sorption cooler for Polatron, 651
 - sorption precooled on 4K PT, 669
- Sumitomo Heavy Industries:
 - 4K two-stage pulse tube cooler, 301
 - GM regenerator degradation analysis, 805
 - GM improvement at 4K using GOS, 397, 403
 - GOS ceramic regen mat'l for 4K coolers, 473
- Sunpower coolers:
 - operation in high magnetic fields, 761
 - qualification of M87N for AMS-02, 37
 - RHESSI on-orbit performance, 755
 - single and 2-stage pulse tube coolers, 139
- Superconductor applications (*see* Integration of cryocoolers with)
- Superconductor Technologies Inc. (STI), 75
- Superfluid helium as working fluid:
 - in Joule-Thomson refrigerator, 675
 - in Stirling refrigerator, 681
- Swales Aerospace:
 - components for cryo integration, 693
 - Planck cryocooler development, 627
- TES instrument cryocoolers, 1
- Texas Instruments (*see* DRS cryocoolers)
- Thales Cryogenics:
 - 50-80K PT cooler for space, 165
 - high capacity 5W-80K PT cooler, 131
 - high capacity Stirling cooler for ISS, 31
 - low vibration 80K PT w/ flexure bearings, 109
 - MTTF of Thales tactical coolers, 87
- Thermacore cryogenic loop heat pipes, 709
- Thermal conductivity (*see* Conductance)
- Thermal storage:
 - helium/charcoal TSU for 15K, 579
 - Swales development and testing of, 693
- Thermal switch (*see* Heat switch)
- Thermoacoustic generator:
 - analysis using distributed-parameters, 431
 - dc flow, caused by natural convection, 447
 - dc flow, caused by regen nonlinearities, 425
 - driven PT with mixed noble gases, 451
 - high freq. operation, investigation of, 439
 - onset temperature gradient, study of, 421
- TRW (*now* Northrop Grumman Space Tech.):
 - ACTDP 6K cooler development, 1
 - AIRS 55K pulse tube cooler, 1
 - HCC 35K/85K two-stage PT cooler, 219
 - HEC pulse tube cooler, 191, 199, 275
 - JAMI pulse tube cooler, 191
 - producibility of linear compressors, 275
 - scaling of linear compressors, 247
 - TES 58K pulse tube cooler, 1
- Tsukuba Magnet Laboratory:
 - GM improvement at 4K using GOS, 397, 403
 - GOS ceramic material for 4K coolers, 473
 - regenerator properties of GdSb, 467
- Turbo Brayton coolers (*see* reverse Brayton coolers)
- Univ. of Calgary, 389
- Univ. of Dresden, 595
- Univ. of Giessen, 149
- Univ. of Oxford:
 - linearity of flexure suspension systems, 255
 - low-power Stirling cooler, 27
 - producibility of linear compressors, 275
 - scaling of linear compressors, 247
- Univ. of Southern Calif., PT modeling, 379
- Univ. of Twente:
 - sorption microcooler, 643
 - SQUID-based fetal heart monitor, 789
- Univ. of Wisconsin:
 - model for hybrid PT/rev Brayton, 349
 - regenerator loss measurements, 523
- US Army Night Vision, 17
- Vibration:
 - Astrium cancellation system, 771
 - suppression with gimbaled instrument, 717
 - Thales vibration control algorithm, 109
 - sensitivity of Polatron instrument, 651
- VM-type pulse tube cooler, 331
- Vortex tube:
 - applied to auto-cascade J-T, 621
 - modeled as heat exchanger, 615
- Zero-boil-off cryogen storage, 199
- Zhejiang Univ.:
 - capillary tube expanders for mixed gases, 609
 - PT with He/H₂ mixed gas at 20K, 325
 - thermoacoustic device analysis, 431
 - thermoacoustic driven PT cooler, 451
 - thermoacoustics, onset temp gradient, 421
 - vortex tube applied to auto-cascade J-T, 621
 - vortex tube as heat exchanger, 615