

Subject Index

Accumulators (*see* Thermal storage)

ACTDP cryocooler development:

Ball Aerospace development, 1, 15

for MIRI instrument, 15

Lockheed Martin ATC development, 25

NGST cooler development, 9, 15

ADR (*see* Magnetic refrigerators)

Adv. Mechanical Tech., Inc., 41

Aerospace Corporation, 85

AIM tactical cryocoolers, 671

Air Force Research Lab (AFRL):

Ball real-time piston alignment tracking, 225

Ball SB235 2-stage 35K Stirling devel., 65

long-life cryocooler database update, 599

modeling cyclic flow in regenerators, 445

modeling energy and exergy flow in PTs, 353

multi-kilowatt Q-drive G-M compressor, 201

NGST 150 K mini PT testing, 85

phase shift in inertance tubes, 275

Air Liquide DTA (France):

30K PT using 80K precooling, 149

50-80K PT cooler for space, 93

International Space Station freezer, 661

AIRS instrument cryocoolers:

comparison with Japanese PT coolers, 101

in-space performance, 609

Aisin Seiki, 80K PT for maglev vehicles, 681

American Superconductor:

50W at 55K single-stage PT cooler, 157

thermosiphon, 593

Ames Research Center (NASA):

enthalpy, entropy and exergy in PTs, 333, 343

Ames Laboratory (Iowa State Univ.):

low temp. regenerator mat'l's, 363

Applications of cryocoolers (*see* Integration with cryocoolers)

Astrium cryocoolers (formerly BAe and MMS):

in-space performance on INTEGRAL, 619

Atlas Scientific multi-kW Q-drive G-M comp., 201

Ball Aerospace cooler activities:

6K ACTDP hybrid Stirling/J-T cooler, 1, 15

optical refrigerator performance, 575

real-time piston alignment tracking, 225

SB235 2-stage 35K Stirling development, 65

Brayton cycle (*see* Reverse-Brayton cryocoolers)

British Aerospace (BAe) cryocoolers (*see* Astrium)

CEA/SBT (France):

100 mK ADR for space missions, 561

30K PT using 80K precooling, 149

50-80K PT cooler for space, 93

sub-Kelvin sorption cooler, 543

Central Japan Railway Company:

PT refrigerator for maglev vehicles, 681

Chinese Academy of Sciences, Cryogenics Lab:

exper. study of high freq. PT regenerator, 439

flow characteristics of cyclic regenerators, 431

non-metallic pulse tube for SQUIDs, 411

phase shift in inertance tubes, 267

thermoacoustic-driven pulse tube cooler, 195

thermoacoustic refrigerator for 250K, 189

CIMEX BioTech, 671

Claude refrigeration cycle, 711

Clearance seals (*see* Compressors)

Clever Fellows Innovation Consortium (CFIC):

4 kW linear Q-drive compressor, 165

control of piston drift with clearance seals, 215

multi-kilowatt G-M compressor, 201

CMC Electronics 1-watt cooler perf., 77

CNES summary of INTEGRAL performance, 619

Collins-type 10K cryocooler, 41

Columbia University:

LXe TP chamber, 689

nonmetallic PT for SQUID operation, 411

Compressors:

4kW CFIC pressure wave generator, 165

compression losses in cryocoolers, 209

control of piston drift with clearance seals, 215

dynam. counterbalanced single piston comp., 241

multi-kilowatt CFIC G-M compressor, 201

real-time piston alignment tracking, 225

sensorless balancing of linear compressors, 231

Creare NICMOS rev-Brayton flight data, 633

Cryomech 10K pulse tube cryocoolers, 133

Cryotiger cooler, 481

Cyclic flow, effect on regenerators, 431, 445

Darwin mission 4K sorption cooler, 503

Database of long-life cryocoolers, 599

Dilution refrigerator for Planck-HFI, 533

DRS tactical Stirling coolers, 671

- Dynacs Engineering:
 AFRL cryocooler database update, 599
 Ball real-time piston alignment tracking, 225
 modeling energy and exergy flow in PTs, 353
 NGST 150 K mini PT testing, 85
- Eindhoven Univ. of Technology, 251
 Electromagnetic interference (*see* EMI/EMC measurements and suppression)
 Electronics, vibration cancellation (*see* Vibration)
 EMI/EMC measurements and suppression:
 HTS SQUID applications, 411
 Equinox Interscience, 395
 Erbium regenerator materials (*see* Regenerators)
 European Space (ESA/ESTEC) activities:
 50-80K PT cooler for space, 93
 Darwin 4K sorption cooler, 503
 International Space Station Freezer, 661
 Exergy flows in pulse tubes, 333, 343, 353
- Florida Solar Energy Center, 711
 Friedrich-Schiller-Universität, Jena, 389
 Freezer, 90K for biological samples, 661
 FZKPTR pulse tube computer code, 323
- Gas-gap heat switches (*see* Heat switches)
 Gedeon Associates, 31, 421
 Georgia Institute of Tech:
 CFD simulation of PT with inertance tube, 285
 fast regenerator numerical model, 455
 regenerator modeling with cyclic flow, 445
 Gifford-McMahon Cryocoolers:
 multi-kilowatt CFIC compressor for, 201
 Goddard Space Flight Center (NASA):
 continuous ADR for below 100 mK, 553
 RHESSI on-orbit performance, 629
 GOS regenerator material (*see* Regenerators)
 Gravitational wave detectors, cooling of, 695, 703
- Heat switches, for ADRs, 553, 561, 567
 HESSI (*see* RHESSI)
 High temperature superconductor applications (*see* Integration of cryocoolers with)
 Holmium regenerator materials (*see* Regenerators)
 HTS applications (*see* Integ. of cryocoolers with)
 Hybrid multistage coolers:
 Ball 6K ACTDP J-T/Stirling, 1, 15
 NGST 6K ACTDP J-T/PT, 9, 15
 Raytheon hybrid Stirling/PT for 40K, 127
 Redstone 10K J-T/GM cooler, 583
 Hydrides (*see* Sorption cryocoolers)
- IGC Polycold Systems, 481
 INTEGRAL mission coolers, 619
 Integration of cryocoolers with:
 biological sample freezer, 661
 cryosurgical probes, 671
 densified propellants, 711
 gravitational wave detectors, 695, 703
 maglev trains, 681
- natural gas liquefaction, 181
 space instruments (*see* Space instruments)
 SQUIDS, 411
 thermal storage, 583
 thermosiphon, 593
 vibration control systems (*see* Vibration)
 Inertance tubes (*see* Pulse tube theory and investigations)
 International Mezzo Technologies, 405
 Iwatani Industrial Gases:
 165K-70W PT cooler for Xe liquefaction, 689
- JAXA (Japan Aerospace Exploration Agency):
 comparison of Japanese PTs for space, 101
 J-T cryocoolers:
 Ball ACTDP 6K cooler development, 1, 15
 Cryotiger with mixed refrigerants, 481
 NGST ACTDP 6K cooler devel., 9, 15
 performance testing of in Korea, 497
 Redstone hybrid 10K J-T/GM cooler, 583
- Jet Propulsion Laboratory (NASA):
 ACTDP coolers for MIRI, study of, 15
 active versus standby redundancy, 609
 AIRS PT cooler in-space performance, 609
 Ball Aerospace ACTDP cooler devel., 1
 Planck cooler test facility, 523
 Joule-Thomson Cryocoolers (*see* J-T cryocoolers)
- KEK High Energy Accel. Research Organ:
 165K-70W PT cooler for Xe liquefaction, 689
 PT vibration suppres. for grav. wave det., 695, 703
 Kennedy Space Center (NASA), 711
 Konoshima Chemical Co, 373
 Korea Inst. of Machinery and Materials:
 performance of J-T refrigerator, 497
 study of coaxial PT with inertance tube, 261
 Korea University, 497
- LIGA-fabricated regenerators, 405
 Lockheed Martin Space Systems (Denver):
 orbit induced oscillations in PT, 641, 651
 Lockheed Martin Advanced Tech. Center:
 6K-18K ACTDP PT cooler devel., 25
 55K/140K GIFTS PT cooler, 121
 RAMOS 75K-130K 2-stage PT cooler, 115
 Los Alamos National Laboratory (DOE):
 thermoacoustic PT refrigerator, 181
 Loughborough Univ., vibration suppression, 231
- Maglev trains, coolers for, 681
 Magnetic fields (*see* EMI/EMC):
 Magnetic refrigerators:
 100 mK ADR for space missions, 561
 continuous ADR for below 100 mK, 553
 heat switches and magnets for mini-ADR, 567
 model for magnetic refrigeration system, 471
 refrigerant materials for (*see* Refrigerants)
 regenerator materials for (*see* Regenerators)
 Massachusetts Institute of Technology:
 Collins-type 10K cryocooler, 41

- Materials:
- refrigerants (*see* Refrigerants)
 - regenerator (*see* Regenerators)
 - Matra Marconi coolers (*see* Astrium coolers)
 - Microcooler, Univ. of Twente sorption, 489
 - Microphonics (*see* vibration)
 - MIT (*see* Massachusetts Institute of Technology)
 - Mitsubishi Electric:
 - 80K PT refrigerator for maglev vehicles, 681
 - Mixed refrigerants (*see* Refrigerants, *and* J-T cryocoolers)
 - Moscow State University, 381
- NASA/ARC (*see* Ames Research Center)
- NASA/GSFC (*see* Goddard Space Flight Center)
- NASA/JPL (*see* Jet Propulsion Laboratory)
- NASA/KSC (*see* Kennedy Space Center)
- NASDA (Japan) (*see* JAXA)
- Nat'l Inst. of Adv. Ind. Sci. & Tech. (Japan), 313
- Nat'l Inst. of Standards and Tech. (*see* NIST)
- NICMOS reverse-Brayton cooler flight data, 633
- Nihon University:
 - 165K-70W PT cooler for Xe liquefaction, 689
- NIST:
 - phase shifts in inertance tubes, 267
 - PT analysis with tactical linear comp., 671
- Northrop Grumman Space Tech. (*previously TRW*):
 - 150 K mini PT testing at AFRL, 85
 - ACTDP 6K cooler development, 9, 15
 - AIRS 55K pulse tube cooler, 101, 609
 - HCC 35K/85K two-stage PT cooler, 109
- Optical refrigerator performance, 575
- Perovskites (*see* Refrigerants)
- Phase change materials (*see* Thermal Storage)
- Planck sorption coolers:
 - test facility for, 523
- Praxair:
 - 200W at 80K PT refrigerator, 165
 - 1500W at 72.5K PT refrigerator, 173
 - effect of mean pressure on PT, 177
 - large thermoacoustic PT refrigerator, 181
- Propellant liquefaction and densification, 711
- Pulse tube cryocoolers:
 - 30K CEA/SBT PT using 80K precooling, 149
 - 50-80K Air Liquide for space, 93
 - 55K-1.5W AIRS, 101, 609
 - 75K-130K 2-stage RAMOS cooler, 115
 - 80K-5W Giessen/Leybold/AIM, 141
 - 80K-170W for maglev vehicles, 681
 - 165K-70W KEK for Xe liquefaction, 689
 - 250K-80W thermoacoustic driven, 189
 - Amer. Supercond. 50W at 55K for HTS, 157
 - Chinese thermoacoustic-driven PT cooler, 195
 - comparison of Japanese coolers for space, 101
 - Cryomech PT805 & PT810 10K coolers, 133
 - LM-ATC 6K 4-stage ACTDP, 25
 - LM-ATC 55K/140K GIFTS cooler, 121
 - NGST 18 K precooler for ACTDP, 9, 15
 - NGST 35K/85K HCC 2-stage PT, 109
 - NGST 150 K mini PT testing, 85
 - Praxair 200W at 80K, 165
 - Praxair 1500W at 72.5K, 173
 - Praxair large thermoacoustic driven, 181
 - Raytheon hybrid Stirling/PT for 40K, 127
 - Sunpower 3-stage 10K status, 31
- Pulse tube theory and investigations:
 - analysis with tactical linear compressors, 671
 - CFD simulation with inertance tube, 285
 - compression losses in cryocoolers, 209
 - counterflow PT refrigerator, 251
 - effect of mean pressure on PT perf., 177
 - energy and exergy flows in PTs, 333, 343, 353
 - meas. with Leybold and AIM linear comp., 141
 - model using electrical network analysis, 293
 - non-metallic, non-magnetic for SQUIDs, 411
 - numerical code for design of PT, 323
 - numerical sym. of flow and heat transfer, 303
 - orbit induced temperature oscillations, 641, 651
 - phase shift in inertance tubes, 267, 275
 - secondary flow visualization in tapered PT, 313
 - study of coaxial PT with inertance tube, 261
 - Pusan National Univ. (Korea), 261
- Rare earth compounds (*see* Regenerators)
- Raytheon Space Systems (*formerly Hughes Aircraft*):
 - CFD simulation of PT with inertance tube, 285
 - fast regenerator numerical model, 455
 - hybrid Stirling/PT for 40K, 127
 - numerical simulation of PT flow, 303
 - RS1 Stirling cooler performance, 59
- Redstone Engineering hybrid 10K J-T, 583
- Redundancy trade-offs, 609
- Refrigerants:
 - doped AMnO₃ perovskites for ADRs, 381
 - mixed refrigerant comparison in Cryotiger, 481
- Regenerators:
 - ceramic material status (GAP, GOS, etc), 373
 - counterflow regen. for PT refrigerator, 251
 - cyclic flow, characteristics with, 431, 439, 445
 - ductile intermetallic compounds for 4-16K, 363
 - fast regenerator numerical model, 455
 - flow circulation in foil-type regenerators, 421
 - lead wire mesh for low temp., 389
 - LIGA-fabricated microchannel, 405
 - low porosity matrix for high freq., 395
 - non-metallic, non-magnetic for SQUIDs, 411
 - optimization using REGEN 3.2, 463
- Reliability of cryocoolers:
 - active versus standby redundancy, 609
 - STI Stirling cooler reliability data, 51
- Reverse-Brayton cryocoolers:
 - use for propellant densification, 711
 - NICMOS operation on HST, 633
 - RHESSI in-space performance, 629
- Ricor:
 - dynam. counterbalanced 1-piston comp., 241
 - sensorless balancing of 2-piston comp., 231

- Sierra Lobo, Inc, 293
- Sorption cryocoolers:
- CEA/SBT sub-Kelvin for Herschel, 543
 - Planck cooler test facility at JPL, 523
 - microcooler at Univ. of Twente, 489
 - single-cell sorption compressor design, 513
- Space cryocoolers, AFRL database for, 599
- Space instrument missions:
- AIRS, 101, 609
 - Darwin, 503
 - GIFTS, 121
 - Herschel, 543
 - INTEGRAL, 619
 - International Space Station (ISS) Freezer, 661
 - MIRI (JWST), 15
 - NICMOS, 633
 - Planck, 523, 533, 543
 - RAMOS, 115
 - RHESSI, 629
- SQUIDs (*see* Integration of cryocoolers with):
- Stirling cryocoolers:
- Astrium/MMS 50-80K on INTEGRAL , 619
 - Ball 18K precooler for ACTDP hybrid, 1, 15
 - Ball SB235 2-stage 35K Stirling devel., 65
 - CMC 1-watt B1000 performance map, 77
 - Raytheon hybrid Stirling/PT for 40K, 127
 - Raytheon RS1 for space applications, 59
 - STI "Sapphire" 6W-77K cryocooler, 51
 - Sunpower space perf. on RHESSI, 629
 - Thales LSF95xx flexure bearing coolers, 71
- Sub-Kelvin coolers:
- 100 mK ADR for space missions, 561
 - CEA/SBT sorption for Herschel, 543
 - continuous ADR for below 100 mK, 553
 - dilution refrigerator for Planck-HFI, 533
- Sumitomo Heavy Industries:
- PT vibration suppress. for grav. wave det., 695, 703
 - regenerator mat'l status (GAP, GOS, etc), 373
- Sunpower coolers:
- RHESSI on-orbit performance, 629
 - status of 3-stage 10K pulse tube cooler, 31
- Superconductor applications (*see* Integration of cryocoolers with)
- Superconductor Technologies Inc (STI):
- 6W-77K "Sapphire" cryocooler, 51
- Texas Instruments (*see* DRS cryocoolers)
- Thales Cryogenics:
- 50-80K PT cooler for space, 93
 - cryocooler in ISS freezer, 661
 - LSF95xx flexure bearing coolers, 71
- Thermal storage:
- helium/charcoal TSU for 15K, 583
- Thermal switch (*see* Heat switch)
- Thermoacoustics:
- Chinese thermoacoustic-driven PT cooler, 195
 - large thermoacoustic-driven PT refrig., 181
 - refrigerator for 80W cooling at 250K, 189
- Thermosiphon, for remote cryo devices, 593
- Throttle cycle (*see* J-T cryocoolers)
- TRW (*see* Northrop Grumman Space Tech.)
- Tsukuba Magnet Laboratory:
- regenerator mat'l status (GAP, GOS, etc), 373
- Turbo Brayton coolers (*see* reverse Brayton coolers)
- Univ. of Giessen, 141
 - Univ. of New Mexico, 275, 353
 - Univ. of Oxford:
 - compression losses in cryocoolers, 209
 - Univ. of Southern Calif., PT modeling, 303
 - Univ. of Tokyo, 695
 - Univ. of Tsukuba, 313
 - Univ. of Twente:
 - Darwin 4K sorption cooler, 503
 - single-cell sorption compressor design, 513
 - sorption microcooler development, 489

Univ. of Wisconsin:

 - heat switches and magnets for mini-ADR, 567
 - model for magnetic refrigeration system, 471
 - regenerator optimization using REGEN 3.2, 463

Vibration:

 - dynam. counterbalanced single piston comp., 241
 - sensorless balancing of linear compressors, 231
 - suppression for gravitational wave detect., 695, 703