

**NOTE:** Page numbers used in this Index refer to the **FIRST PAGE** of the referenced article published in the proceedings. To view the referenced article, go to the Table of Contents and click on the article with the referenced page number located to the left of the paper title.

## Cryocoolers 17 Subject Index

- Absolut System SAS (France):  
30-50K cooling loops for laboratory use, 503  
80 K PT for Rapid e-APD IR camera, 93  
120 W 80 K coaxial pulse tube cooler, 135  
150 K PT for micro-satellites, 53
- ADR (*see* Magnetic refrigerators)
- Advanced Mech. Tech., floating piston losses, 271
- AIM Infrarot-Module (Germany) coolers, 85
- Air Liquide Adv Tech. (France):  
7 - 15 K PT cooler for space, 17  
150 K PT for micro-satellites, 53  
ultra-low vibration platform for space use, 531
- Air Force Research Lab (AFRL):  
exergy-based performance estimation, 323  
TEC perf. with boundary resistance, 495
- Applications of cryocoolers (*see* Integration with cryocoolers)
- Atlas Scientific:  
modeling PT with integrated circulator, 517
- Ball Aerospace coolers:  
low force and torque cooler mounts, 539  
overview of Ball space cryocoolers, 1  
TIRS cooler I&T experience, 575
- Bearings, flexure springs (*see* Compressors)
- Bolometers (*see* Integration with cryocoolers)
- Brayton cryocoolers (*see* Reverse-Brayton coolers)
- California Institute of Tech. (CalTech):  
1 K loop precooled by 4 K PT for BLISS, 487
- CAS (*see* Tech. Inst. of Physics & Chem and Shanghai Inst. of Tech. Physics)
- CEA/SBT (Grenoble, France):  
50mK hybrid cooler for space, 479  
7 - 15 K PT cooler for space, 17
- Cedrat Tech. (France): low vibration platform, 531
- CFD (Computational Fluid Dynamics):  
CFD analysis of volume for 120 Hz PT, 151  
CFD modeling of diaphragm Stirling, 283  
CFD modeling of PT gravity tilt losses, 143  
PT loss analysis by CFD, 161
- Chart Industries:  
800 W at 70 K pulse tube cryocooler, 121
- Circulators (*see* Cooling Loops)
- Clearance seals (*see* Compressors)
- CNES (Toulouse, France):  
150 K PT for micro-satellites, 53
- Collins-type cryocoolers:  
losses with floating piston expanders, 271
- Compressors:  
back-EMF use for piston velocity meas., 357  
drive electronics for (*see* Drive electronics...)  
electrochemical compressor for J-T, 425  
LVDT & RC methods for characterization, 341  
modular archit. for large He compressors, 367  
Oxford anal. of high speed compressors, 347  
piezoelectric drive linear compressor, 331
- Convection (*see* Gravity effects on PT perf.)
- Cooling Loops:  
1 K loop precooled by 4 K PT for BLISS, 487  
10 K PT with cold He circulation, 511  
30-50 K remote loops for laboratory use, 503  
elect. analog model for integ. circulator, 517
- Creare, Inc.:  
Brayton for zero-boil-off cryogen storage, 443  
electrochemical compressor J-T cooler, 425  
testing non-rare-Earth regenerator plates, 303  
ultraminiature tuboalternator of space, 453
- Cryomech 4K pulse tube cryocoolers:  
10 K PT with cold He circulation, 511
- CryoWave Adv. Technology, Inc.:  
miniature 77 K thermoacoustic expander, 461
- Dilution refrigerators (*see* Sub-Kelvin coolers)
- Drag coefficient with pulsating flow, 315
- Drive electronics for coolers:  
Iris electronics for NGAS micro-PT cooler, 71
- Dutch Space, sorption cooler for METIS, 377
- Electrochemical compressor for J-T, 425
- Electronics, cooler drive (*see* Drive electronics...)
- Erbium regenerator materials (*see* Regenerators)
- European Space (ESA/ESTEC) activities:  
7 - 15 K PT cooler for space, 17  
pure & mixed-gas J-T microcoolers, 371
- Exergy flows (*see* Pulse tube theory and invest.)
- Flexure bearing springs (*see* Compressors)
- Flow loops (*see* Cooling Loops)
- Friedrich-Schiller-Universität Jena:  
coaxial 4 K pulse tube cooler, 197
- Georgia Institute of Tech.:  
4K hybrid Stirling/PT tactical cooler, 25

- CFD modeling of PT gravity tilt losses, 143  
 Drag & Nusselt number w pulsating flow, 315
- Gifford-McMahon Cryocoolers:  
 experimental study of 4 K GM, 247  
 losses with floating piston expanders, 271  
 numerical simulation of 4 K GM, 253
- Goddard Space Flight Center (NASA):  
 overview of Ball Aerospace cryocoolers, 1  
 TIRS, cooler I&T experience, 575
- Gravity effects on PT perf., 129, 143
- Heat exchangers:  
 drag & Nusselt number w pulsating flow, 315
- High temperature superconductor applications (*see*  
 Integration of cryocoolers with)
- Holmium regenerator materials (*see* Regenerators)
- Hong Ik Univ. (Korea):  
 Brayton for liquefaction of Natural Gas, 435
- HTS applications (*see* Integ. of cryocoolers with)
- Hybrid multistage coolers:  
 4K hybrid Stirling/PT tactical cooler, 25  
 exergy-based performance estimation, 323  
 Raytheon RSP2 10K Stirling/PT cooler, 9
- Hypres, Inc., cryo LNA on miniature cooler, 565
- Industrial Research, Ltd. (New Zealand):  
 CFD modeling of diaphragm Stirling, 283  
 120 W 80 K coaxial pulse tube cooler, 135
- Inertance tubes (*see* Pulse tube theory and invest.)
- Inst. of Planétologie et Astro. (Grenoble, France):  
 80 K PT for Rapid e-APD IR camera, 93
- Integration of cryocoolers with:  
 bolometer testing, 555  
 cooling loops (*see* Cooling loops)  
 cryogen boil-off reduction (*see* Liquefaction of  
 gases)  
 integrated detector cooler assembly, 525  
 liquefaction of gases (*see* Liquefaction of gases)  
 low noise amplifiers (LNA), 565  
 low pressure helium purifier, 581  
 remote loads (*see* Cooling loops)  
 space instruments (*see* Space instruments)  
 superconducting motors, 545  
 vibration sensitive applications (*see* Vibration)
- IRIS Technology:  
 4K hybrid Stirling/PT tactical cooler, 25  
 low-cost electronics for micro-PT cooler, 71
- Israel Institute of Technology (*see* Technion)
- J-T cryocoolers (*see also* Sorption coolers):  
 binary mixed refrigerants for 80-100 K J-T, 387  
 electrochemical compressor driven cooler, 425  
 influence of ambient temp on perf., 407  
 miniature 77 K thermoacoustic expander, 461  
 numerical cooldown analysis for J-Ts, 415  
 performance anal. of mixed-gas J-T, 397  
 pure & mixed-gas J-T microcoolers, 371
- Jet Propulsion Laboratory (NASA):  
 1 K loop precooled by 4 K PT for BLISS, 487
- Joule-Thomson Cryocoolers (*see* J-T cryocoolers)
- Korea Adv. Inst. of Science and Tech. (KAIST):  
 PT losses by energy flow and CFD, 161  
 Rayleigh scattering for temp. measure., 239
- Korea Gas Corp., 435
- Korea Inst. of Machinery and Materials:  
 GM-type PT with Neon as working gas, 203  
 influence of ambient temp on J-T perf, 407
- Kryoz Tech. (Netherlands), J-T microcoolers, 371
- Lihan Technologies (China), miniature PT, 107
- Liquefaction of gases:  
 Brayton for liquefaction of Natural Gas, 435  
 Brayton cooler for zero-boil-off storage, 443
- Los Alamos Nat'l Lab:  
 staging two coolers with quarter-wave tube, 179
- Massachusetts Institute of Technology:  
 analysis of appendix gap losses, 261  
 losses with floating piston expanders, 271
- Materials:  
 refrigerants (*see* Refrigerants)  
 regenerator (*see* Regenerators)
- MIT (*see* Massachusetts Institute of Technology)
- Mixed refrigerants (*see* Refrigerants, *and* J-T  
 cryocoolers)
- NASA/GSFC (*see* Goddard Space Flight Center)
- NASA/JPL (*see* Jet Propulsion Laboratory)
- Nat'l Inst. of Standards and Tech. (*see* NIST)
- NIST:  
 4 K  $^3\text{He}/^4\text{He}$  PT cooler optimization, 209  
 4 K regenerator and PT test facility, 219  
 back-EMF use for piston velocity meas., 357
- Northrop Grumman (NGAS)—*formerly* TRW:  
 HEC cooler performance enhancement, 79  
 integrated detector cooler assembly, 525  
 low force and torque cooler mount, 539  
 micro-PT cooler with Iris electronics, 71
- Nusselt number for pulsating flow, 315
- Orientation, effect on PT performance, 129, 143
- Oswald Elektromotoren (Germany):  
 matching HTS motors and cryocoolers, 545
- Piezoelectric drive for linear compressor, 331
- Propellant liquefaction and densification (*see*  
 Liquefaction of gases)
- Pulse tube cryocoolers:  
 4 K coaxial pulse tube cooler, 197  
 4 K hybrid Stirling/PT tactical cooler, 25  
 7 - 15 K ESA PT cooler for space, 17  
 10 K PT with cold He circulation, 511  
 80 K PT for Rapid e-APD IR camera, 93  
 120 W 80 K coaxial pulse tube cooler, 135  
 200 W 77 K in-line pulse tube cooler, 129  
 800 W at 70 K by Chart Indus., 121  
 AIM Infrarot-Module PT qualification, 85  
 Air Liquide 150 K PT for micro-satellites, 53  
 CAS 1-stage high freq PT coolers, 107, 115  
 NGAS 60 K HEC PT performance, 79

- NGAS micro PT cooler, 71  
 Raytheon RSP2 10K Stirling/PT cooler, 9  
 Pulse tube theory and investigations:  
   4 K <sup>3</sup>He/<sup>4</sup>He PT cooler optimization, 209  
   4K regenerator and PT test facility, 219  
   analysis of transient cooldown behavior, 293  
   CFD anal. of PT volume at 120 Hz, 151  
   coaxial PT performance at 100 to 300 Hz, 107  
   cold-end reservoir for phase shifting, 187  
   continuously variable inertance tubes, 229  
   exergy-based performance estimation, 323  
   GM-type PT with Neon as working gas, 203  
   integrated circulator, modeling of, 517  
   losses by energy flow tests and CFD, 161  
   orientation, effect on PT performance, 129, 143  
   phase shifting with cold inertance tube, 169  
   piezoelectric compressor for 100 Hz PT, 331  
   Rayleigh scattering for temp. measure., 239  
   regenerator studies, generic (*see* Regenerators)  
   regenerator material study for 10K PT, 309  
   staging two coolers with quarter-wave tube, 179  
   testing non-rare-Earth regenerator plates, 303
- Quantum Design, Inc.,  
   cryocooled low-pressure helium purifier, 581  
   modular archit. for large He compressors, 367
- Rafael, Ltd.:  
   numerical cooldown analysis for J-T, 415
- RAL (Rutherford Appleton Lab), 371
- Rare earth compounds (*see* Regenerators)
- Rayleigh Scattering, for temp measurement, 239
- Raytheon SAS (*formerly* Hughes Aircraft):  
   4K hybrid Stirling/PT tactical cooler, 25  
   10K/55K RSP2 cooler performance, 9  
   CFD modeling of PT gravity tilt losses, 143
- Recuperative heat exchangers (*see* Heat exchangers)
- Refrigerants:  
   binary mixed refrigerants for 80-100K J-T, 387  
   performance anal. of mixed-gas J-T, 397
- Regenerators:  
   analysis of appendix gap losses, 261  
   regenerator material study for 10K PT, 309  
   testing non-rare-Earth regenerator plates, 303
- Re-Liquefaction of gases (*see* Liquefaction of gases)
- Remote cryogenic loads (*see* Cooling Loops)
- Reverse-Brayton cryocoolers:  
   for liquefaction of Natural Gas, 435  
   for zero-boil-off cryogen storage, 443  
   miniature 77K thermoacoustic expander, 461  
   ultraminiature tuboalternator for space, 453
- Ricor, Ltd.:  
   analysis of transient cooldown behavior, 293  
   linear cooler for HOT IR detectors, 61  
   low-cost split-Stirling cooler for space, 43  
   microminiature low-vibration cooler, 33
- Shanghai Inst. of Tech. Physics / CAS:  
   CFD anal. of PT volume at 120 Hz, 151  
   LVDT & RC methods for comp character, 341
- SMAC (France): low vibration platform, 531
- Sorption cryocoolers:  
   vibration-free cooler for METIS instr., 377
- Space instrument missions:  
   HIRDLS Stirling cooler, 1  
   METIS (E-ELT), sorption cooler, 377  
   SPICA/SAFARI, 17  
   TIRS, cooler I&T experience, 575
- Stirling cryocoolers:  
   4K hybrid Stirling/PT tactical cooler, 25  
   analysis of appendix gap losses, 261  
   analysis of transient cooldown behavior, 293  
   CFD modeling of diaphragm Stirling, 283  
   CryoTel DT 2.3W 77K Stirling cooler, 101  
   losses with floating piston expanders, 271  
   overview of Ball Aerospace cryocoolers, 1  
   Raytheon RSP2 10K Stirling/PT cooler, 9  
   Ricor linear cooler for HOT IR detectors, 61  
   Ricor low-cost split-Stirling space cooler, 43  
   Ricor microminiature low-vib cooler, 33
- Sub-Kelvin coolers:  
   CEA/SBT 50mK hybrid cooler for space, 479  
   cryogen-free dilution frig with 1K stage, 471
- Sumitomo Heavy Industries:  
   200 W 77K in-line pulse tube cooler, 129  
   experimental study of 4K GM, 247  
   numerical simulation of 4K GM, 253
- Sunpower, Inc.:  
   CryoTel DT 2.3W 77K Stirling cooler, 101
- Superconductor applications (*see* Integration of cryocoolers with)
- Technical Inst. of Physics and Chemistry (CAS):  
   40K 1-stage high freq PT cooler, 115  
   miniature coaxial PT cooler at 100Hz, 107  
   regenerator material study for 10K PT, 309
- Technion - Israel Inst. of Tech.:  
   binary mixed refrigerants for 80-100K J-T, 387  
   analysis of transient cooldown behavior, 293  
   piezoelectric compressor for 100 Hz PT, 331
- Thales Cryogenics, 7-15 K PT cooler for space, 17
- Thermoacoustics, expansion valve, 461
- Thermoelectric coolers (TEC):  
   perf. of TEC with boundary resistance, 495
- TRW coolers (*see* Northrop Grumman)
- TS-dot Engineering, Ltd. (New Zealand), 283
- Turbo Brayton coolers (*see* reverse Brayton)
- Univ. of California, San Diego:  
   4 K PT-cooled cryostat for bolometers, 555
- Univ. of Canterbury (New Zealand):  
   CFD modeling of diaphragm Stirling, 283
- Univ. of New Mexico,  
   exergy-based performance estimation, 323  
   TEC perf. with boundary resistance, 495
- Univ. of Oxford: high speed compressors, 347
- Univ. of Southern Calif.: J-T compressor, 425
- Univ. of Twente:  
   pure & mixed-gas J-T microcoolers, 371  
   vibration-free sorption cooler for METIS, 377

## Univ. of Wisconsin:

- continuously variable inertance tubes, 229
- testing non-rare-Earth regenerator plates, 303

## Vibration:

- low force and torque cooler mounts, 539
- Ricor microminiature low-vib cooler, 33
- ultra-low vibration platform for space use, 531

## Virginia Military Institute:

- 4 K  $^3\text{He}/^4\text{He}$  PT cooler optimization, 209
- 4 K regenerator and PT test facility, 219

## Walther-Meissner Inst.:

- cryogen-free dilution frig with 1K stage, 471

## Wroclaw Univ. of Technology (Poland):

- performance anal. of mixed-gas J-T, 397

Zero-boil-off cryogenics (*see* Liquefaction of gases)

## Zhejiang Univ.:

- CFD anal. of PT volume at 120 Hz, 151
- cold end reservoir for PT phase shifting, 187
- LVDT & RC methods for comp character, 341
- PT phase shifting with cold inertance tube, 169