

NOTE: Page numbers used in this Index refer to the FIRST PAGE of the referenced article published in the proceedings. To view the referenced article, go to the Table of Contents and click on the article with the referenced page number located to the left of the paper title.

Cryocoolers 18 Subject Index

- A-tech Corp, Albuquerque, NM:
 1D-2D PT fluid/HX model comparison, 221
 exergy flows in multistage Brayton coolers, 461
 space cooler endurance evaluation update, 609
- Absolut System SAS (France):
 30-50 K dual-stage PT cooler for space, 33
 large diaphragm-driven PT development, 195
- AIM Infrarot-Module (Germany):
 SX020 miniature Stirling cooler, 65
- Air Force Research Lab (AFRL), Albuquerque, NM:
 1D-2D PT fluid/HX model comparison, 221
 exergy flows in multistage Brayton coolers, 461
 optimum capacity of 2-stg TECs at cryo, 497
 space cooler endurance evaluation update, 609
- Air Liquide:
 15 K PT cooler for space missions, 27
 150-200K PT cooler for micro satellites, 79
 closed-cycle dilution cooler for space, 475
- AIRS PT coolers, 12 years in space, 87
- Applications of cryocoolers (*see* Integration with cryocoolers)
- Bearings, flexure springs (*see* Compressors)
- Brayton cryocoolers (*see* Reverse-Brayton coolers)
- California Institute of Technology (*see* Jet Propulsion Laboratory)
- Callaghan Innovation (New Zealand):
 diaphragm Stirling cooler, 185
 large diaphragm-driven PT development, 195
- CAS, Chinese Academy of Sciences (*see* Tech. Inst. of Physics & Chemistry, Beijing *and* Shanghai Inst. of Tech. Physics)
- CEA INAC-SBT (Grenoble, France) (*see* Univ. Grenoble Alpes)
- Center National D'Etudes Spatiales (*see* CNES)
- Circulation Systems (*see* Remote cryogenic loads)
- Clearance seals (*see* Compressors)
- CNES (Toulouse, France):
 4 K PT devel for space applications, 1
 150-200K PT cooler for micro satellites, 79
 closed-cycle dilution cooler for space, 475
 test of EM 2-stg coaxial PT for space, 141
- Cobham Mission Systems, Stirling microcooler, 73
- Compressors:
 drive electronics for (*see* Drive electronics...)
 electrochemical compressor, 487
 efficient compressor for 4 K GM-style PT, 203
 low frequency linear comp for GM & PT, 319
 smart energy comp for helium liquefiers, 551
 switchless sorption compressor design, 425
 VM compressor for driving PT cooler, 323
- Creare, Inc.:
 cooler drive electronics, micro-size, 351
 electrochemical compressor devel, 487
 testing 1-kW-class turboalternator, 453
 testing 10 K 2-stg Brayton space cooler, 445
 ultra low power Brayton cooler for space, 435
- Cryomech 4 K pulse tube cryocoolers:
 cold He circulation system for GM, 545
 energy efficient operation of 4K PT, 203
- Cubsats, coolers for:
 Iris cooler system, 329
- Daewoo Shipbuilding & Marine Engin. Co.:
 solid-liquid phases of refrigerants, 397
- DCS Corporation (Florida):
 Lockheed coaxial PT microcooler, 51
- Diaphragm compressor, 185, 195
- Dilution refrigerators (*see also* Sub-Kelvin coolers):
 closed-cycle dilution cooler for space, 475
 electrochemical compressor for, 487
 WMI dry dilution refrigerator, 481
- Drive electronics for coolers:
 Creare, micro-size for small coolers, 351
 qual testing of Iris Tech. LCCE electronics, 339
 Thales, for PT & Stirling space coolers, 359
- Dutch Space (Leiden, The Netherlands):
 switchless sorption compressor design, 425
- Electrochemical compressor, 487
- Electronics, cooler drive (*see* Drive electronics...)
- Energy storage (*see* Thermal Storage)
- Erbium regenerator materials (*see* Regenerators)
- ESAp/UAEH (Hidago, Mexico), 469
- Etched foil regenerator mat'l (*see* Regenerators)
- European Space (ESA/ESTEC) activities:
 Air Liquide 15 K PT cooler for space, 27
 Air Liquide dilution cooler for space, 475
- Exergy flows:
 exergy flows in multistage Brayton coolers, 461
- Flexure bearing springs (*see* Compressors)
- Florida State University:
 He circulation system for HTS devices, 535

- Flow loops (*see* Remote cryogenic loads, cooling of)
- Gas-gap heat switches (*see* Heat switches)
- Georgia Institute of Tech.:
 graphite foam as cryogenic HX, 263
 study of off-axis PT losses, 253
- GM-style pulse tube coolers (*see* Pulse tube cryocoolers)
- Gifford-McMahon cryocoolers:
 cold He circulation system for GM, 545
 effect of heat conductivity in 4K regen, 277
 novel approach to optimize GM regen, 271
- Graphite:
 graphite foam as cryogenic HX, 263
 graphic thermal straps, 577
- Heat exchangers:
 graphite foam as cryogenic HX, 263
 study of recuperative finned-tube HX, 407
 tube-in-tube HX optimization for J-T, 417
- Heat switches:
 passive helium for fast cooldown, 577
- High temperature superconductor applications (*see* HTS applications, *see also* Integration of cryocoolers with)
- Holmium regenerator materials (*see* Regenerators, *see also* Gifford-McMahon cryocoolers)
- HTS applications:
 hybrid cooling system for, 529
 cooler-based circulation system for, 535
- Hybrid multistage coolers:
 hybrid cooling system for HTS devices, 529
 NGAS MIRI 6K hybrid PT/J-T cryocooler, 11
 Raytheon RSP2 hybrid Stirling/PT, 19
- Hydrides (*see* Sorption cryocoolers)
- INAC/SBT
- Inertance tubes (*see* Pulse tube theory and investigations)
- Infinia Technology Corp. (Richland, WA):
 high capacity & efficient Stirling cooler, 155
- Institut Néel/CNRS (France):
 closed-cycle dilution cooler for space, 475
- Integration of cryocoolers with:
 thermal heat switches (*see* Heat switch)
 cryogen boil-off reduction system (*see* Liquefaction of gases)
 flow loops (*see* Remote cryogenic loads)
 HTS devices (*see* HTS applications)
 IR detectors, 557
 liquefaction of gases (*see* Liquefaction of gases)
 LTS magnets, lessons learned with, 567
 remote loads (*see* Remote cryogenic loads)
 space instruments (*see* Space instruments)
 thermal storage (*see* Thermal storage)
 vibration sensitive applications (*see* Vibration)
- Iris Technology Corp:
 miniature cryocooler system for cubesats, 329
 qual testing of LCCE cooler electronics, 339
 study of off-axis PT losses, 253
- Israel Ministry of Defense (Tel Aviv), 557
- J-T cryocoolers:
 150K cascade J-T microcooler, 377
 analysis of J-T microcoolers, 367
 MIRI cold head acceptance testing, 11
 operating with binary mixtures, 389
 solid-liquid phases of J-T refrigerants, 397
 study of recuperative finned-tube HX, 407
 tube-in-tube HX optimization for J-T, 417
- Jet Propulsion Laboratory (NASA/JPL):
 AIRS PT coolers, 12 years in space, 87
 OCO-2 cooler integration and test, 105
 Thales LPT9310 PT cooler Char testing, 125
 Thales LPT9510 PT cooler Qual testing, 115
- Joule-Thomson Cryocoolers (*see* J-T cryocoolers)
- KAIST, Daejeon, Korea:
 passive helium heat switch, 577
 solid-liquid phases of J-T refrigerants, 397
- Kennedy Space Center (NASA):
 modeling LH₂ storage with refrigeration, 507
- Korea Inst. of Science Technology, Seoul, Korea:
 modeling LH₂ storage with refrigeration, 507
 small zero-loss H₂ liquefaction plant, 517
- Kunming Inst. of Physics (Kunming, China):
 reliability level of mini Stirling coolers, 601
- Lagrange description regenerator model, 309
- Lawrence Berkeley National Labs:
 LTS magnet cooling, lessons learned, 567
- Liquefaction of gases:
 hybrid cooling system for HTS devices, 529
 modeling LH₂ storage with refrigeration, 507
 small zero-loss H₂ liquefaction plant, 517
 smart energy compressor for He liquefier, 551
- Lockheed Martin M&FC, Goleta, CA:
 coaxial PT microcooler, 51
- Lockheed Martin (STAR), Palo Alto, CA:
 coaxial PT microcooler, 51
 cold compressor for deep-space apps, 39
 cooler drive electronics, micro-size, 351
 micro PT qualification to TRL 6, 45
- Madison Cryo Group (MCG) Middleton, WI:
 cold compressor for deep-space apps, 39
- Magnetic refrigerant materials (*see* Regenerators)
- Materials:
 refrigerants (*see* Refrigerants)
 regenerator (*see* Regenerators)
- Matra Marconi coolers (*see* Astrium coolers)
- MIRI 6K hybrid PT/J-T cryocooler, 11
- MIT (*see* Massachusetts Institute of Technology)
- Mixed refrigerants (*see* Refrigerants, *and* J-T cryocoolers)
- NASA/JPL (*see* Jet Propulsion Laboratory)
- Nat'l Inst. for Materials Science (Tsukuba, Japan):
 novel approach to optimize GM regen, 271
- Nat'l Inst. of Standards and Tech. (*see* NIST)

- Nihon University (Funabashi, Japan):
 pressure ratio effect on warm-disp PT, 245
- NIST:
 4 K regenerator loss measurements, 291
 150 K cascade J-T microcooler, 377
- Northrop Grumman (NGAS)—*previously* TRW:
 Air Force life test data on NGAS coolers, 609
 AIRS PT coolers, 12 years in space, 87
 HEC cooler performance, 97
 MIRI cold head acceptance testing, 11
 OCO-2 cooler integration and test, 105
 space microcooler performance, 59
- Oshima Nat'l College of Maritime Tech., 271
- Phase change materials (*see* Thermal storage)
- Pressure Wave Systems, Munich, Germany:
 low frequency linear compressors, 319
- Propellant liquefaction and densification (*see* Liquefaction of gases)
- Pulse tube cryocoolers:
 30-50 K dual-stage PT cooler for space, 33
 150-200 K PT cooler for micro satellites, 79
 AIRS PT coolers, 12 years in space, 87
 Air Liquide 15 K PT cooler for space, 27
 Cryomech 4 K PT, efficient operation of, 203
 drive electronics for (*see* Drive Electronics)
 Lockheed coaxial PT microcooler, 51
 Lockheed cold compressor for deep space, 39
 Lockheed micro PT qualification, 45
 NGAS HEC PT cryocooler perf., 97
 NGAS micro PT cooler perf., 59
 OCO-2 cooler integration and test, 105
 Raytheon high frequency PT cooler, 135
 Raytheon RSP2 hybrid Stirling/PT, 19
 SITP/CAS coaxial PT cooler testing, 151
 Sumitomo 1.5 W-4 K 2-stg PT cooler, 211
 Thales LPT9310 PT cooler Char testing, 125
 Thales LPT9510 PT cooler Qual testing, 115
- Pulse tube theory and investigations:
 1D-2D CFD fluid/HX model comparison, 221
 4 K regenerator loss measurements, 291
 4 K PT devel for space applications, 1
 analysis of 4 K regenerator in PT cooler, 283
 cylindrical adjustable inertance tube, 237
 devel of cost-effective coolers for space, 595
 large diaphragm-driven PT development, 195
 pressure ratio effect on warm-disp PT, 245
 regenerator studies, generic (*see* Regenerators)
 study of off-axis PT losses, 253
 simulation of thermodynamic cycles in, 229
 test of EM 2-stg coaxial PT for space, 141
 two-cold-finger PT cooler research, 215
 VM compressor for driving PT cooler, 323
- Quantum Design, Inc., He compressor, 551
- Rafael, Ltd.:
 analysis of J-T microcoolers, 367
 J-T coolers with binary mixtures, 389
- study of recuperative finned-tube HX, 407
- Rare earth compounds (*see* Regenerators)
- Raytheon Space Systems (*formerly* Hughes Aircraft):
 low temperature RSP2 production program, 19
 productionized high frequency PT cooler, 135
- Recuperative heat exchangers (*see* Heat exchangers)
- Refrigerants (*see* J-T cryocoolers)
- Regenerators:
 analysis of 4 K regenerator in PT cooler, 283
 4 K regenerator loss measurements, 291
 effect of heat conductivity in 4 K regen, 277
 novel approach to optimize GM regen, 271
 regenerator Lagrange description model, 309
 study of 2.8 W-80 K Stirling regenerator, 301
- Reliability studies:
 reliability devel of mini Stirling coolers, 601
 space cooler endurance evaluation update, 609
- Re-Liquefaction of gases (*see* Liquefaction of gases)
- Remote cryogenic loads, cooling of via:
 cold He circulation system for GM, 545
 cryocooler based He circulation system, 535
- Reverse-Brayton cryocoolers:
 exergy flow in multistage Brayton coolers, 461
 testing 1-kW-class turboalternator, 453
 testing 10 K 2-stg cooler for space apps, 445
 ultra low power Brayton cooler for space, 435
- SemiConductor Devices—SCD (Israel):
 ruggedizing cryocooled IR detectors, 557
- Shanghai Inst. of Tech. Physics / CAS (China):
 testing of coaxial PT cooler, 151
- Sorption cryocoolers:
 switchless sorption compressor design, 425
- Space cryocooler overviews:
 devel of cost-effective coolers for space, 595
 AF space cooler endurance evaluation, 609
- Space instrument missions:
 AIRS, 55 K PT coolers, 12 years in space, 87
 miniature cryocooler system for cubesats, 329
 MIRI (JWST), 6 K cooler, 11
 OCO-2 cooler integration and test, 105
- STEEL Electronique (France), PT cooler, 79
- Stirling cryocoolers:
 AIM Infrarot-Module SX020 miniature, 65
 Cobham microcooler for HTS apps, 73
 diaphragm compressor driven, 185
 high capacity & efficiency cooler, 155
 measurement of high-power Stirling cooler, 163
 Raytheon RSP2 hybrid Stirling/PT, 19
 reliability devel of mini Stirling coolers, 601
 simulation of high-power Stirling cooler, 177
 study of 2.8 W-80 K Stirling regenerator, 301
 test of high capacity Stirling cooler, 169
- Sub-Kelvin coolers:
 closed-cycle dilution cooler for space, 475
 WMI dry dilution refrigerator, 481
- Sumitomo Heavy Industries:
 devel of 1.5 W-4 K 2-stg PT coolers, 211
 effect of heat conductivity in 4 K regen, 277
 novel approach to optimize GM regen, 271

- Superconductor applications (*see* Integration of cryocoolers with)
- Switch, cryogenic thermal (*see* Heat switch)
- Technical Inst. of Physics and Chemistry, CAS:
 analysis of 4 K regenerator in PT cooler, 283
 hybrid cooling system for HTS devices, 529
 regenerator model w/Lagrange description, 309
 simulation of PT thermodynamic cycles, 229
 test of high capacity Stirling cooler, 169
 tube-in-tube HX optimization for J-T, 417
 two-cold-finger PT cooler research, 215
 VM compressor for driving PT cooler, 323
- Technology Applications Inc.:
 graphite thermal straps/vibration mount, 587
- Thales Cryogenics:
 15 K PT cooler for space, 27
 30-50K dual-stage PT cooler for space, 33
 devel of cost-effective coolers for space, 595
 drive electronics for space coolers, 359
 LPT9310 PT cooler Character testing, 125
 LPT9510 PT cooler Qual testing, 115
- Thermal-acoustic Tech., Inc. (Shenzhen, China):
 test of high capacity Stirling cooler, 169
- Thermal straps, graphite, 587
- Thermal switch (*see* Heat switch)
- Thermoacoustics:
 CFD simulation of cooler w/ RHVT effect, 469
- Thermoelectric coolers (TEC):
 optimum capacity of 2-stg TECs at cryo, 497
- Tongji University (Shanghai, China):
 pressure ratio effect on warm-disp PT, 245
- TRW coolers (*see* Northrop Grumman)
- TS-dot Engineering, Ltd. (New Zealand):
 diaphragm Stirling cooler, 185
- Turbo alternator (*see* reverse Brayton coolers)
- Turbo Brayton coolers (*see* reverse Brayton coolers)
- Univ. of Canterbury (New Zealand):
 diaphragm Stirling cooler, 185
- Univ. of Central Florida:
 modeling LH₂ storage with refrigeration, 507
 small zero-loss H₂ liquefaction plant, 517
- Univ. of Chinese Academy of Sciences (*see* Technical Inst. of Physics and Chem, CAS)
- Univ. of Colorado, Boulder, J-T microcooler, 377
- Univ. of Grenoble Alps, CEA INAC-SBT (France):
 4 K PT devel for space applications, 1
 15 K PT cooler for space, 27
 30-50K dual-stage PT cooler for space, 33
 test of EM 2-stg coaxial PT for space, 141
- Univ. of New Mexico,
 1D-2D PT fluid/HX model comparison, 221
 exergy flows in multistage Brayton coolers, 461
 optimum capacity of 2-stg TECs at cryo, 497
- Univ. of Southern California:
 electrochemical compressor, 487
- Univ. of Twente:
 switchless sorption compressor design, 425
- Univ. of Wisconsin:
 cylindrical adjustable inertance tube, 237
- Univ. of Zaragoza (Spain), 551
- U.S. Army, Redstone Arsenal:
 Lockheed coaxial PT microcooler, 51
- Vibration:
 mount using graphite thermal straps, 587
- Virginia Military Institute:
 4 K regenerator loss measurements, 291
 study of off-axis PT losses, 253
- VM compressor for driving PT cooler, 323
- Walther-Meißner-Institut (Germany):
 WMI dry dilution refrigerator, 481
- Zero-boil-off (*see* Liquefaction of gases)
- Zhejiang Univ.:
 measurement of high-power Stirling cooler, 163
 reliability level of mini Stirling coolers, 601
 simulation of high-power Stirling cooler, 177
 study of 2.8 W-80 K Stirling regenerator, 301