

# Subject Index

- Active Magnetic Refrigerators (AMR), 657, 665
- Adaptive filters, 437
- Adiabatic Demagnetization Refrigerators (ADR), 637
- AEG 1W SL100 tactical cooler, 241
- Aerojet sorption compressors:
  - charcoal compressors, 569
  - hydride compressors, 601
- Aerospace Corporation:
  - BETSU flight experiment, 927
  - CSIM model, 695
  - flexure spring design, 293, 305
  - phase change thermal storage, 927
- AIRS cryocooler development, 173
- Algorithms and analysis methods:
  - cryocooler design software, 281
  - enthalpy flow model, 395
  - liquid-solid equilibria, 559
  - pulse tube performance, 371
  - vibration control, 425
- Ames Research Center (NASA):
  - contact resistance, 755
  - magnetic refrigeration, 637
  - pulse tube modeling, 359, 403
- Ames Laboratory (Iowa State Univ.), 685
- APD CryoTiger closed-cycle 80 K J-T, 537
- Applications of cryocoolers:
  - conductance measuring apparatus, 823
  - helium re-liquefier, 777
  - high temperature superconductor, 913
  - IR focal planes, 949
  - low cost, commercial, 913
  - magnetocardiography using SQUIDS, 465, 901
  - railroad maglev, 777
  - space experiments, (*see* Space experiments)
  - space life-science refrigerator/freezer, 919
  - space-science instruments,
    - (*see* Space-science instruments)
  - superconducting magnets, 777, 785, 823
- ASTER cryocoolers, 35
- Astronautics AMRs, 657, 665
- BAe (British Aerospace) cryocoolers:
  - 4K closed-cycle J-T cryocooler, 525
  - 50-80K cooler, 1, 197, 417
  - 80K cooler, 1, 417
  - electronics for, 417, 425
  - life test results for 80K cooler, 1, 233
  - vibration generated by, 197, 417
- Ball Aerospace cryocoolers
  - 1.5W-55K cryocooler, 23
  - 30K two-stage cryocooler, 93, 221
  - 77K closed-cycle J-T COOLLAR, 543
  - coldfinger flex strap, 855
- Bearings:
  - Aerospace flexure, 305
  - Creare rotary magnetic, 507
  - Hitachi magnetic, 77
  - hydrodynamic gas, 47
  - NIST linear-arm flexure, 293
- BETSCE, 173, 581, 601, 609
- BETSU, 927
- Boreas cryocooler, 835
- Brayton cycle cryocooler, 499, 507
- British Aerospace cryocoolers,
  - (*see* BAe cryocoolers)
- Capillary pumped loop, cryogenic, 719, 743
- CDNSWC, (*see* Naval Surface Warfare Center)
- CEA/CENG (France):
  - Stirling cooler, 47
  - thermal switch, 731
- Characterization testing:
  - ASTER cryocoolers, 35
  - BAe 50-80 K cryocooler, 1
  - Ball 1.5W-55K cryocooler, 23
  - Ball 30K Stirling cooler, 93
  - EMI performance overview, 209
  - GSFC activities overview, 221
  - Hitachi 5W-70K cryocooler, 77
  - Hughes 7050 & 7060 tactical coolers, 113
  - Hughes 7050H, 163
  - JPL activities overview, 173
  - Lockheed 1.5W-55K L-1710C, 55, 221
  - Lockheed-Lucas SCRS cryocooler, 13, 197, 209
  - Magavox 7049, 163
  - refrigeration performance overview, 185
  - Ricor K506B cryocooler, 883
  - Signaal USFA 7056 tactical cryocooler, 137
  - Sunpower 140K cryocooler, 149
  - Texas Instruments 1W-80K, 163
  - vibration performance overview, 197
- Charcoal sorbents:
  - for gas-gap heat switch, 637, 731
  - for J-T compressor, 569

Cold finger:  
   attachment load effects, 13, 869  
   flex strap design, 13, 855, 869, 893  
   heat interceptor, 709  
   launch restraint, 869  
   temperature control, 13, 23, 241  
 Compressors:  
   charcoal sorption, 569, 623  
   J-T oil lubricated, 537, 543  
 Conductance measurements:  
   in the range 6K-35K, 823  
   measuring apparatus design, 823  
   of cryogenic CPL, 719  
   of pressed contacts, 755  
 Cooling loop, He gas, 901  
 COOLLAR, 543  
 Counterbalancer, 3-axis vibration, 437  
 Creare Cryocoolers:  
   30K Stirling cooler, 103, 221  
   Reverse Brayton cryocooler, 499, 507  
 CRUX microprocessor, 449  
 Cryo System Experiment (CSE), 487  
 Cryocooler applications,  
   (see Applications of cryocoolers)  
 Cryocooler integration technologies,  
   (see Integration of cryocoolers)  
 Cryogenic sample holder, 765  
 Cryogenic Systems Integration Model (CSIM),  
   695  
 Cryostar loading mechanism, 765  
 Cryotechnologies (France), 137  
 CryoTiger, 537  
 CSE IN-STEP flight experiment, 487, 869  
  
 DECS vibration controller, 417  
 Diaphragm Stirling cryocooler, 103, 475  
   piston control of, 103  
  
 Ecole Normale Supérieure, 411  
 Electric field emissions,  
   (see EMI/EMC measurements)  
 Electrical interfaces, 209  
 Electromagnetic interference,  
   (see EMI/EMC measurements)  
 Electronics:  
   flight experiment, 487  
   for cooler vibration control, 417, 425, 449,  
     455, 487  
   for diaphragm piston control, 475  
 Electrotechnical Laboratory (Japan), 35  
 EMI/EMC measurements:  
   Ball 1.5W-55K cryocooler, 23  
   Stirling cooler overview, 209  
   with SQUID applications, 465, 901  
 Enthalpy flow model, 395  
 Enthalpy streaming, 359  
 Erbium regenerator materials, 657, 677, 685  
 Ethane, in mixed refrigerants, 559  
  
 Fairchild Space cooler activities, 103, 475  
 Feed forward vibration controller, 449, 455  
 Finite element flexure analysis, 293, 305  
  
 Flex strap design and test, 13, 855, 869, 893  
 Flexure bearings, 85, 293, 305  
 Flight applications:  
   2-4K space astrophysics missions, 845  
   AIRS, 173  
   ASTER, 35  
   BETSCE, 173, 581, 601, 609  
   Clementine mission, 883  
   CSE IN-STEP, 869  
   HTSSE II, 893  
   ICE on COOLSAT, 941  
   JPL experiments overview, 173  
   MOPITT, 417  
   STRV vibration suppression, 455  
 Focal plane dewars, 949  
 Friction factors, 259  
 Friedrich-Schiller Univ., 395  
  
 Gadolinium regenerator materials, 637, 647, 665  
 Gas bearings, 47  
 Gas-flow cooling loop, 901  
 Gas-gap heat switches, 637, 731  
 Gedeon Associates, 281  
 Generated vibration measurements,  
   (see Vibration, cooler generated)  
 GGG, (see Gadolinium)  
 Gifford-McMahon Cryocoolers:  
   finite element stress analysis of, 815  
   improved coldfinger seal for, 795  
   magnetic regenerators for, 657, 677, 685, 785  
   shock and vibration analysis of, 815  
   vibration testing of, 803  
 Goddard Space Flight Center:  
   30K Ball cooler development, 93, 221  
   30K Creare/Fairchild cooler devel., 221, 475  
   80K Lockheed cooler developemnt, 85  
   capillary pumped loops, 719, 743  
   cryocooler testing overview, 221  
   feed forward vibration controller, 449  
   tactical cryocooler testing, 163  
  
 Heat switches, 637, 731, 855  
 Heat pipes, cryogenic, 695, 719, 743  
 Heat capacities, cryogenic, 685  
 Heat interceptor, 709  
 Heat conduction, (see Conductance measurements)  
 Helium re-liquefier, 677, 777  
   buffer tank for, 777  
 High temperature superconductor applications:  
   future applications overview, 913  
   HTSSE II flight experiment, 893  
 Hitachi 5W-70K cryocooler, 77  
 HTSSE II, 893  
 Hughes cryocoolers:  
   10W-60K pulse tube, 321  
   CSE IN-STEP experiment, 487, 869  
   ISSC electronics, 487  
   ISSC space cryocooler, 69  
   life test results, 69  
   Model 7044H, 609, 869  
   Model 7050 & 7060 tactical coolers, 113, 163  
   vibration generated by, 197

Hydride materials, 581, 601, 609, 623  
Hydrodynamic gas bearings, 47  
Hydrogen J-T, 581, 601, 609, 623

ICC standard dewar, 949  
IN-STEP experiment, 487, 869  
Integration of cryocoolers:  
  cold-finger heat interceptor, 709  
  cold-finger flex strap, 13, 855, 869, 893  
  cryogenic CPL, 719  
  in space experiments, (*see* Space experiments)  
  in space-science instruments,  
    (*see* Space-science instruments)  
  sample loading mechanism, 765  
  systems integration software (CSIM), 695  
  with flight electronics, 487  
  with focal plane dewars, 949  
  with helium re-liquefier, 777  
  with phase change materials, 927  
  with space refrigerator/freezers, 919  
  with SQUIDS, 465, 901  
  with stored cryogen dewars, 855  
  with thermal switch, 637, 731, 855

Intrinsic temperature regulation, 241

J-T cryocoolers:  
  10K SH<sub>2</sub> sorption, 581, 601, 609, 623  
  125K charcoal sorption, 569  
  APD CryoTiger closed-cycle 80K, 537  
  Ball 77K closed-cycle COOLLAR, 543  
  BETSCE flight experiment, 609  
  cold-head design, 581, 609  
  gas purification in, 517, 525, 543  
  hydrogen sorption, (*see* 10K SH<sub>2</sub> sorption)  
  oil lubricated compressor, 537, 543  
  RAL/BAe 2-4 K closed cycle, 517, 525  
  reliability physics of, 623  
  simulation model, 581

Jet Propulsion Lab.  
  activities overview, 173  
  astrophysics applications, 845  
  BETSCE, 173, 581, 601, 609  
  cooler characterization, 149, 185, 197, 209  
  flight experiments, 455, 869  
  cold-finger heat interceptor, 709  
  reliability physics investigations, 623  
  sorption coolers, 581, 601, 609, 623  
  vibration suppression electronics, 455

Joule-Thomson Cryocoolers, (*see* J-T cryocoolers)  
Justus-Liebig Univ.:  
  pulse tube development, 383

KEK pulse tube research, 353  
Krypton J-T, 569

Lanthanide regenerator materials, 69, 685  
Lawrence Livermore Nat'l Lab, 883  
Life testing methodology, 233  
Life test results:  
  AEG 1W SL100, 241  
  BAe 80K cryocooler, 1, 233  
  BAe 20-50 K cryocooler, 1  
  Ball 1.5W-55K cryocooler, 23  
  Hughes ISSC cryocooler, 69  
  Hughes tactical cryocoolers, 113, 163  
  Magnavox MX7049 tactical cryocooler, 163  
  Oxford ISAMS 80 K cryocooler, 1  
  Ricor K506B cryocooler, 883  
  Signaal USFA 7056 tactical cryocooler, 137  
  Texas Instruments cryocoolers, 121, 163

Linear motor:  
  characteristics, 47  
  linear oscillating motors, 103, 475  
  modeling, vibration suppression, 465

Liquid-gap heat switch, 637  
Liquid-solid equilibria, 559  
Loading mechanism for samples, 765

Lockheed:  
  1.5W-55K L-1710C cryocooler, 55, 221  
  80K cryocooler, 85  
  cryocooler vibration, 197, 221  
  DECS vibration controller, 417  
  SCRS cryocooler, 13, 197, 209

Loop, He gas cooling, 901  
Los Alamos National Lab, 247

Magnavox tactical coolers:  
  overview 129  
  Model 7049, 163

Magnetic bearings, 77, 507  
Magnetic field emissions, 209  
Magnetic refrigerator, 637, 647, 665  
Magnetic regenerator, 647, 657, 665, 677, 685, 785  
Magnetic springs, 47  
Magnetocaloric, 647, 657, 665  
Massachusetts Inst. of Tech, 437, 647  
Matra Marconi Space Systems, (*see* BAe coolers)  
Methane in mixed refrigerants, 559  
MITI, Mech. Engineering Lab, 403  
Mixed refrigerants, 559  
Modeling, (*see* Algorithms and analysis methods)  
MOPITT cooler evaluation, 417

Motor drive electronics:  
  for diaphragm motion control, 475  
  for vibration suppression, 417, 425, 437, 449, 455, 487

Multi-axis counterbalancer, 437  
Multi-stage 4 K pulse tube, 345

Nat'l Inst. of Standards and Tech., (*see* NIST)  
Naval Research Laboratory:  
  future HTSC applications, 913  
  HTSSE II, 893

Naval Surface Warfare Center:  
  conductance measurements, 823  
  G-M shock and vibration, 803, 815

Narrowband vibration controller, 417, 425, 437, 449, 455  
NASA Lewis Research Center, 919  
Neon, in mixed refrigerants, 559  
Nihon Univ.:  
  2-stage 20K pulse tube, 337  
  3-stage 4 K pulse tube, 345

- NIST:
  - flexure bearings, 293
  - pulse tube research, 359
- Nitrogen:
  - CPL, 719
  - in mixed refrigerants, 559
- Object-oriented software, 281
- Perforated plates, 259
- Perpendicular loading mechanism, 765
- Phase equilibria--eutectic temperatures, 559
- Phase change materials, 927, 941
- Phillips Lab (USAF), 173, 269
- Piezoelectrics, 455
- Piston wear, 113
- Piston suspension:
  - hydrodynamic gas bearings, 47
  - magnetic bearings, 77,
  - spring flexure bearings, 85, 293, 305
- Pressed contacts, thermal resistance of, 755
- Pressure wave shaping in pulse tubes, 383
- Pressure drop in regenerators, 269
- Propane, in mixed refrigerants, 559
- Pulse tube cryocoolers:
  - French developments, 411
  - Hughes 10W-60K, 321
  - KEK prototype, 353
  - Nihon 4K 3-stage, 345
  - Toshiba 20K, 337
  - TRW 1W-35K, 313
  - TRW miniature, 329
- Pulse tube theory and investigations:
  - diagnostic measurements of, 353, 383, 395, 403
  - four-valve, 395
  - fundamental physics, 353, 359, 383, 395, 403
  - gas circulation within, 359
  - multi-inlet, 353
  - performance modeling, 359, 371, 411
  - pressure & temp. oscillations, 403
  - waveform shaping, 383
- Qualification testing:
  - Lockheed-Lucas SCRS cryocooler, 13, 197, 209
  - Signaal USFA 7056 tactical cryocooler, 137
  - Texas Instruments tactical coolers, 121
- Railroad maglev, 777
- Railway Tech. Research Institute, 777
- RAL 2-4 K closed-cycle J-T cooler, 517
- Rare earth compounds, 637, 647, 657, 665, 677, 685, 785
- Refrigerants:
  - mixed fluids, 559
- Refrigeration performance:
  - ASTER cryocoolers, 35
  - BAe 50-80 K cryocooler, 1
  - Ball 1.5W-55K cryocooler, 23
  - Creare reverse Brayton cryocooler, 499
  - Hitachi 5W-70K cryocooler, 77
  - Hughes 7050H, 163
  - Lockheed-Lucas SCRS cryocooler, 13
  - Magavox 7049, 163
  - RAL 2-4 K closed cycle J-T, 517
  - sensitivity overview, 185
  - Sunpower 140K cryocooler, 149
  - Texas Instruments 1W-80K, 163
  - TRW miniature Stirling, 329
  - TRW miniature pulse tube, 329
- Refrigerator/freezer, 743
- Regenerator:
  - combined magnetic/gas cycle, 647
  - materials, (*see* Rare earth compounds)
  - magnetic (*see* Magnetic regenerator)
  - multi-layer magnetic regenerator, 677
  - optimization for Stirling cycle, 247
  - perforated plates, 259
  - screens, 269
- Reliability physics:
  - of sorption refrigerators, 623
- Requirements for space applications, 35, 845, 869, 883, 893
- Ricor Cryocoolers:
  - K506B cryocooler, 883
  - K506HP applications, 941
- Ripple current and voltage, 209
- Rockwell vibration controller, 425
- Sample holder, 765
- SCRS cryocooler, 13, 197, 209
- Seal for G-M coldfinger, 795
- Shock testing and analysis, 803, 815
- Signaal USFA:
  - 7056 tactical cryocooler, 137
  - 7058 tactical cryocooler, 465
- Software:
  - Aerospace CSIM model, 695
  - cryocooler design, 281
- Solid-liquid equilibria, 559
- Sorption cryocooler:
  - 10K periodic, 581, 601, 609
  - BETSCE ground test, 609
  - charcoal 125K, 569
  - dynamic modeling, 581
  - JPL activities overview, 173
  - reliability physics, 623
  - sorbent bed assembly, 601
  - sorbent bed construction, 569
  - sorption bed reliability, 623
- Space experiments:
  - BETSCE, 609
  - BETSU, 927
  - CSE, 869
  - HTSSE II, 893
  - ICE on COOLSAT, 941
  - STRV, 173, 455
- Space-science instruments:
  - 2.5-4K instruments, 845
  - AIRS, 173
  - ASTER, 35
  - Clementine, 883
  - MOPITT, 417
- Spring flexure optimization, 85, 293, 305

SQUIDS, integration with, 465, 901

STC cryocooler vibration, 197

Stirling cryocoolers:

- ASTER, 35
- Ball 1.5W-55K, 23
- Ball 30K, 93, 221
- BAe 50-80K, 1, 197
- BAe 80K, 1, 197
- BAe 20-50K,
  - EMI characteristics overview, 209
  - Fairchild/Creare 30K, 103, 475
  - flexure bearings for, 85, 293, 305
  - Hitachi 5W-70K cryocooler, 77
  - Hughes tactical, 113, 163, 609, 869
  - Hughes ISSC, 69, 197, 487, 869
  - Lockheed 1.5W-55K L-1710C, 55, 221
  - Lockheed-Lucas 80K, 85
  - Lockheed-Lucas SCRS, 13, 197, 209
  - Magavox tactical, 129, 163
  - refrigeration parameter sensitivity, 185
  - regenerator optimization, 247
  - Signaal USFA tactical, 137, 465
  - STC 80K, 197
  - Sunpower 140K, 149
  - Texas Instruments tactical, 121, 163, 455
  - TRW miniature, 329

STRV vibration suppression, 455

Sunpower 140K cryocooler, 149

Superconducting current leads, 785

Superconducting magnet, 785

Superconductor applications, 913

Suspension spring optimization, 85, 293, 305

Tactical Stirling cryocoolers:

- AEG 1W SL100, 241
- Hughes, 113, 163, 173
- Magnavox, 129, 163
- reliability growth in, 113
- Signaal USFA 7056, 137, 465
- space application of, 163
- Texas Instruments, 121, 163, 455
- vibration reduction of, 163

Texas Instruments tactical Stirling coolers:

- overview, 121
- 1W-80K characterization, 163
- in STRV flight experiment, 455

Thermacore, 743

Thermal conductivity,
 

- (see Conductance measurements)

Thermal performance sensitivity of Stirling cryocoolers to operational parameters, 185

Thermal storage:

- flight experiment (BETSU), 927
- integration model, 695

Thermal switch, 637, 731, 855

Tokyo Institute of Technology, 677

Toshiba Corp.:
 

- 20 K pulse tube, 337
- magnetic regenerator on G-M, 677, 785
- superconducting current leads, 785

TRW cryocooler activities:

- 1W-35 K pulse tube, 313
- life testing of BAe 80K cryocooler, 233
- miniature pulse tube, 329
- miniature Stirling, 221, 329

Turbo Brayton cryocooler, 499, 507

Turboalternator, 507

Two-stage cryocoolers:

- Ball 30K Stirling, 93, 221
- Fairchild/Creare 30K Stirling, 103
- Japanese pulse tube, 337

University of California, Berkeley, 795

University of California, UCLA, 259, 559

University of Giessen, 383

University of Karlsruhe, 371

University of Toronto, 417

University of Twente, 465, 901

Utah State University, 941

Valve wear:
 

- in Ball COLLAR J-T, 543

Vibration, cooler generated:

- characterization overview, 197
- control electronics, 85, 417, 425, 437, 449, 455
- individual cooler vibration test results,
  - ASTER cryocooler, 35
  - BAe 80K and 50-80K, 197, 417
  - Ball COLLAR J-T, 543
  - Fairchild/Creare 30K, 221
  - Hughes 7050H, 163
  - Hughes SSC, 197
  - Lockheed 1.5W-55K L-1710C, 55, 221
  - Lockheed-Lucas SCRS, 197
  - Magavox 7049, 163
  - STC 80K, 197
  - Sunpower 140K, 149
  - Texas Instruments 1W-80K, 163
  - TRW miniature Stirling, 221
  - multi-axis counterbalancer, 437

Vibration, external input:

- survival analysis, 815
- survival testing, 803

Wear:
 

- of compressor pistons, 113
- in J-T check valves, 543