

Subject Index

- Adv. Mobile Telecommunication Tech., Inc., 279
Aerospace Corporation:
 CSIM system design model, 1, 861
 flexure bearing design, 413
 spacecraft integration trades, 873
 thermal storage unit, 747
Air Liquide pulse tube, 223
AIRS cryocooler development, 195, 885, 895
Alabama Cryogenic Engineering, 653
Algorithms and analysis methods:
 comparison of PT & Stirling perform., 431
 cooler BOL/EOL sizing analysis, 885
 cryogenic system design, 861, 885
 etched foil regenerator flow, 451
 flexure bearing design charts, 413
 flow visualization in pulse tubes, 355, 365
 heat transfer coef. in high-NTU matrices, 441
 periodic temp. variation technique, 441
 piston resonance characteristics, 421
 piston (warm expander) pulse tube, 309, 319
 pseudo-Ericsson cycle G-M, 643
 pulse tube performance model, 327, 345, 431
 pulse tube heat and mass flows, 335, 345
 Stirling-cycle performance model, 147, 431
 transient cryocooler thermal perf., 163
 vibration control, 727
Ames Research Center (NASA), 327, 345
Ames Laboratory (Iowa State Univ.), 663, 669
APD Cryogenics:
 65K two-stage MR/O₂ refrig., 537
Cryotiger J-T cooler:
 performance with mixed gases, 515
 vibration of, 737
 integration with SQUIDS, 925
 cost reduction improvements, 521
 with Neon for application at 25K, 547
Early pulse tube developments, 261
Applications of cryocoolers:
 cryoelectronics, 97, 509
 high temperature superconductors (*see* HTS applications)
 IR focal planes, 885
 liquefaction of nitrogen, 157, 247
 magnetocardiography using SQUIDS, 727
 mine-sweeping magnets, 627, 653, 813
 nondestructive eval. using SQUIDS, 925
 space experiments (*see* Space experiments)
space instruments (*see* Space instruments)
weapons systems, 17
Applied Superconductivity Center, 547
ARCOPTR, 327

Ball Aerospace cryocoolers:
 2W-55K single-stage AFP Stirling, 55
 30K two-stage Stirling, 11, 69
 35K/60K three-stage Stirling, 1
 77K closed-cycle J-T COOLLAR, 493
Bearings:
 Aerospace flexure, 413
 MTI linear journal, 403
 BEI mini-linear cooler, 119
 BETSCE, 567, 577
Brayton cycle cryocoolers, 1, 465, 475, 485
British Aerospace (BAe) cryocoolers (*see* Matra Marconi Space cryocoolers)

CDNSWC (*see* Naval Surface Warfare Center)
CEA/CENG (France):
 50-80K pulse tube development, 213
Characterization testing:
 APD Cryotiger J-T, 737, 925
 Ball 2W-55K cryocooler, 55
 Ball 30K Stirling cooler, 69
 Ball 77K closed-cycle COOLLAR, 493
 Creare 65K SSC Stirling, 45
 Creare 5W-65K reverse-Brayton, 465
 data acquisition software for, 853
 gas-gap heat switch, 795
 Hughes SSC I & II, 35
 MMS/RAL two-stage Stirling, 79, 89
 Texas Instruments 1W-80K, 127, 163
 TRW 3503 & 6020 P-T cryocoolers, 173, 183
Charcoal sorbents, 597
Chinese Academy of Sciences, 529
COM DEV (MOPITT cooler vib.), 711
Compressors:
 charcoal sorption, 597
 J-T oil lubricated, 493
 MTI linear diaphragm, 403
Conductance measurements:
 demountable interface, 813, 823
 stacked screens, 459
 tension band cryo support, 773
Convection in pulse tube vs. angle, 183, 393

- Cooldown behavior modeling, 163
COOLLAR, 493
 Cornell Univ., 431
 Creare Cryocoolers:
 5W-65K reverse-Brayton, 1, 465
 65K SSC Stirling cooler, 45
 miniature reverse-Brayton, 475
 Cryocooler applications (*see* Applications of cryocoolers)
 Cryocooler integration technologies (*see* Integration of cryocoolers)
 Cryogenerator with two-component, two-phase fluid, 157
CryoTiger:
 cost reduction activities, 521
 integrated with SQUIDS, 925
 performance with various refrigerants, 515
 vibration of, 737
CSIM cryosystem design software, 1, 861
CTI-Cryogenics, 607
- Daido Hoxan**:
 pulse tube with active buffer, 247
 pulse tube with long neck tube, 269
- DARPA**, 25
- DC flow**, effect on P-T and Stirling efficiency, 385
- DECS** vibration controller, 711
- Diaphragm compressor**:
 Creare Stirling, 45
 MTI hydraulic driven, 403
- DoD** linear tactical coolers, 17
- Ecole Normale Supérieure**, 223
- Electric field emissions** (*see* EMI/EMC measurements)
- Electro Thermo Associates**, 309
- Electromagnetic interference** (*see* EMI/EMC measurements)
- Electronics**:
 cooler drive and control, 705, 841, 895
- EMI/EMC measurements**:
 Ball 77K closed-cycle COOLLAR, 493
 TRW 3503 P-T cryocooler, 183
 with SQUID applications, 925, 935
- Erbium regenerator materials**, 79, 617, 663, 669
- European Space (ESA) activities**:
 RAL/MMS 2-stg Stirling, 79, 89
 50-80K pulse tube development, 213
 50-80K Stirling applications, 59
- Feed forward vibration controller**, 705, 711, 727
- Flex strap design and test**, 807, 885, 917
- Flexure bearings**, 413
- Focal plane dewars**, 885
- Fokker Space radiant cooler**, 917
- Forschungszentrum Jülich**, 925
- Forschungszentrum Karlsruhe**, 255
- Gas effects on piston resonance**, 421
- Gas-gap heat switches**, 795
- Gedeon Associates**, 385
General Atomics, 813
Generated vibration measurements (*see* Vibration, cooler generated)
Georgia Institute of Technology, 335
Gifford-McMahon Cryocoolers:
 2W-4K with Erbium regenerator materials, 617
 geometric scaling of, 627
 low-cost for HTS applications, 607
 low-temperature regenerators for, 653, 663, 669
 neodymium plate regenerator for, 653
 temperature stabilization of, 765
 valve pressure loss effects, 637
 valve timing effects, 643
- Goddard Space Flight Center**:
 30K Ball cooler development, 11
 Sunpower M77 cooler vibration, 697
- HTS applications**:
 cooler program overview, 25
 filter resonators, 97, 521, 607
 large motors, 943
 magnetocardiography, 727
 magnets, 547
 nondestructive evaluation (NDE), 925
 SQUIDS, 727, 765, 925, 935
- Heat conduction** (*see* Conductance measurements)
- Heat interceptor**:
 with Hughes SMTS cooler, 783
 with MMS/RAL 2-stg Stirling, 79
- Heat pipes**, cryogenic, 831
- Heat switches**, 795
- High temperature superconductor applications** (*see* HTS applications)
- Hong Ik University**, 147
- Hughes Aircraft**:
 cooler drive electronics, 841
 heat interceptor integration, 79, 783
 LCC low-cost pulse tube, 229
 PSC 60K Stirling cooler, 1, 29
 pulse tube research, 285, 335
 SSC I & II space coolers, 35
 vibration suppression of ISSC, 705
- Hydraulic driven compressor**, 403
- Hydride materials**:
 in sorption coolers, 567, 577, 587
 to actuate heat switch, 795
- Hymatic**, Stirling cooler, 109
- ILK**, 925
- Indian Institute of Technology**, 157
- Innovative Research Inc.**, 451
- Integration of cryocoolers with**:
 4K superconducting magnets, 627, 653, 813
 cryogenic heat pipes, 831
 data acquisition system, 853
 demountable thermal interface, 813, 823
 flexible diode heatpipe, 1
 flexible thermal link, 807, 885, 917
 flight electronics, 711, 841

- focal plane dewars, 885
heat interceptor, 79, 783
HTS applications (*see* HTS applications)
integrated thermal bus, 1
multilam make-break interface, 823
photoconductive detectors at 4K, 949
phase change materials, 747
space experiments (*see* Space experiments)
space instruments (*see* Space instruments)
SQUIDS, 727, 765, 925, 935
systems integration software (CSIM), 1, 861
temperature stabilization system, 747, 765
tension-band cryo load support, 773
thermal storage, 747
thermal switch, 795
- J-T cryocoolers:
10K SH, sorption, 567, 577
APD 65K 2-stg MR/O₂ refriger., 537
APD CryoTiger, 515, 521, 737, 925
Ball 77K closed-cycle COOLLAR, 493
BETSCE flight experiment, 567, 577
charcoal/nitrogen sorption, 597
heat exchangers for, 547
micromachined cooler, 687
mixed-refrigerant experiments in China, 529
MMR Technologies, 509
Neon for HTS applications at 25K, 547
pressure fluctuations in, 737
RAL/MMS 2-4 K closed cycle, 949
STC integral J-T/Stirling for 4.5K, 557
use with SQUIDS for NDE, 925
vibration of APD CryoTiger, 737, 925
- Jet Propulsion Laboratory:
AIRS cryocooler system design, 885
astrophysics applications, 577
BETSCE, 567, 577
gas-gap heat switch, 795
piston resonance characteristics, 421
sorption coolers, 567, 577, 587
TRW pulse tube cooler testing, 183
UCSB balloon experiment, 577, 587
- Joule-Thomson Cryocoolers (*see* J-T cryocoolers)
- Kleemenko cycle, 509
Korea Inst. of Mach. and Materials, 239
Korea Adv. Institute of Science and Tech., 239
- Lanthanide regenerator materials, 675
LASSOR optical refrigerator, 681
- Life test results:
Creare 5W-65K reverse-Brayton, 465
- Linear motor, Hymatic design, 109
- Liquefaction of nitrogen, 157, 247
- Lockheed Martin IR Imaging Systems:
AIRS cryocooler system design, 885
- Lockheed Martin Palo Alto Research Center:
35K/60K pulse tube development, 1
MOPITT cryocooler electronics, 711
- Los Alamos National Laboratory:
- optical refrigerator, 681
cryo heat pipes, 831
- Magnetic field emissions, 935
Magnetic refrigerators:
refrigerant materials for, 675
- Matra Marconi Space cryocoolers:
2-stage Stirling enhancements, 79
4K closed-cycle J-T cryocooler, 949
50-80K Stirling cooler, 59
50-80K pulse tube development, 213
electronics for, 711
flight applications of, 59
- Microcoolong, 687
- MITI, Mech. Engineering Lab, 355, 365
- Mitsubishi Electric, 617, 643
- Mixed refrigerants (*see* Refrigerants, mixed gases)
- MMR Technologies, 509
- Modeling (*see* Algorithms and analysis methods)
- MOPITT cooler vibration evaluation, 711
- Moscow State University, 675
- MTI, hydraulic diaphragm compressor, 403
- Nat'l Inst. of Standards and Tech. (*see* NIST)
- Naval Research Laboratory, 25
- Naval Surface Warfare Center:
cryo heat pipes, 831
demountable thermal interface, 813
G-M refrigerator scaling, 627
neodymium plate regenerator, 653
thermal conductance of multilam, 823
- Neodymium plate regenerator, 653
- Neon for J-T cooling to 25K, 547
- Night Vision cooler program, 17
- Nihon University:
PT with active buffer, 247
PT with long neck tube, 269
- NIST:
pulse tube modeling, 345
regenerator research, 441, 451
conduction through screens, 459
- Nitrogen liquefier:
pulse tube, 247
Stirling with 2-component 2-phase fluid, 157
- Nitrogen trifluoride, 747
- Nondestructive evaluation (NDE), 925
- Off-state conduction of pulse tube, 183, 393
- Optical refrigerator, 681
- Phase change materials, 747
- Phillips Lab (USAF):
Creare 5W-65K Brayton tests, 465
Creare 65K SSC Stirling tests, 45
data acquisition software, 853
Hughes SSC I & II tests, 35
program overview, 1
STRV-2 flight experiment, 127, 905
thermal storage unit, 747
transient cooldown modeling, 163

- Piston pulse tube, 309, 319
- Piston suspension:
- hydraulic journal bearings, 403
 - spring flexure bearings, 109, 413
 - resonance characteristics, 421
- Piston vibration:
- lateral motion during operation, 69
 - stroke motion during launch, 69, 421
- Pulse tube cryocoolers:
- 50-80K European development, 213
 - French developments, 213, 223
 - Hughes LCC, 229
 - Karlsruhe 2-stage 10K, 255
 - Korean experimental, 239
 - TRW 3503, 1, 173, 183
 - TRW 6020, 1, 173, 183
 - TRW AIRS cryocooler, 195, 885, 895
 - TRW miniature, 1, 203
- Pulse tube theory and investigations:
- active buffer system, 247
 - convection effects vs. angle, 183, 393
 - dc flow, effect of, 385
 - early pulse tube developments, 261
 - effect of pulse tube geometry, 285
 - flow visualization within, 355, 365
 - heat pumping versus frequency, 375
 - Korean, 239
 - long-neck tube, 269
 - modeling of high frequency, 335
 - off-state conduction vs. angle, 183, 393
 - performance modeling, 203, 431
 - piston pulse tube modeling, 309, 319
 - reverse-Brayton expander, use as, 485
 - two parallel pulse tubes, 295
 - UCLA research overview, 301
 - waveform shaping using relief valves, 279
- Queen Mary & Westfield College, 949
- RAL (*see* Rutherford Appleton Laboratory)
- Rare earth compounds, 617, 663, 669, 675
- Refrigerants:
- for magnetic refrigerators, 675
 - mixed gases, 509, 515, 529
- Refrigeration performance:
- APD CryoTiger J-T, 521
 - Ball 2W-55K Stirling, 55
 - Ball 30K two-stage Stirling, 69
 - BEI mini-linear Stirling, 119
 - Creare 5W-65K reverse-Brayton, 465
 - Creare 65K SSC diaphragm Stirling, 45
 - Hughes 60K PSC, 29
 - Hughes ISSC with heat strap, 783
 - Hughes SSC I & II, 35
 - Hymatic 80K Stirling, 109
 - overview comparison, 873
 - RAL/MMS 2-stg Stirling, 79, 89
 - Texas Instruments 1W-80K, 127, 163
 - TRW 3503 and 6020 pulse tubes, 173, 183
 - TRW miniature pulse tube, 203
- REGEN3, 327
- Regenerator:
- conductance of stacked screens, 459
 - etched foil modeling, 451
 - heat transfer in high-NTU matrices, 441
 - neodymium plate for G-M, 653
 - optimization for 20K Stirling, 79
 - optimization for 2W-4K G-M, 617
 - rare earth materials for, 79, 617, 663, 669, 675
 - reduction of heat pumping, 139
- Reliance Electric, 943
- Reverse-Brayton refrigerators:
- Creare 5W-65K, 465
 - Creare miniature, 475
 - with pulse tube as expander, 485
- Requirements for space applications, 905
- Resonance of compressor pistons, 421
- Rutherford Appleton Laboratory:
- 2-stage Stirling enhancements, 79
 - 50-80K pulse tube development, 213
 - integration of PC detectors at 4K, 949
- SADA cooler assemblies, 17
- Schafer, W.J. Associates, 719
- SCIAMACHY radiant cooler, 917
- Signaal USFA:
- 7058 tactical cryocooler, 935
 - reduction of heat pumping, 139
- Silicon micromachined cooler, 687
- SMTS, 1, 783
- Software:
- Aerospace CSIM model, 1, 861
 - lab data acquisition, 853
- Sorption cryocooler:
- 10K and below, 567, 577
 - APD 2-stg MR/O₂ testing, 537
 - BETSCE flight demonstration, 567
 - charcoal/nitrogen, 597
 - UCSB balloon experiment, 577, 587
- Sorption pump, for gas-gap, 795
- Space experiments:
- BETSCE, 567, 577
 - STRV vibration suppression, 719
 - STRV-2, 127, 905
- Space instruments:
- AIRS, 195, 885, 895
 - cooler integration trades for, 873
 - FIRST, 89
 - MOPITT, 711
 - SCIAMACHY, 917
 - SMTS, 1, 873
 - UCSB balloon, 577, 587
- Spring flexure optimization, 413
- SQUIDS, integration with, 727, 765, 925, 935
- Startech, 813, 831
- Stirling cryocoolers:
- Ball 2W-55K single-stage AFP, 55
 - Ball 30K two-stage, 69
 - Creare 65K SSC w/diaphragms, 45
 - Hughes 60K PSC, 1, 29
 - Hughes ISSC, 705, 783

- Hughes SSC I & II, 35
 Hymatic 80K, 109
 MMS 50-80K, 59
 MMS/RAL 2-stage 20K, 79, 89
 Signaal USFA tactical, 139, 935
 STC combined with 4.5K J-T, 557
 STI HTS, 97
 Sunpower M77 cooler vibration, 697
 Texas Instruments 1W-80K, 17, 127, 163, 905
 U.S. Army cooler program, 17
- Stirling cooler theory and investigations:
 analysis with gas-wall heat transfer, 147
 flexure bearings for, 413
 magnetic interference of, 935
 micromachined miniaturization, 687
 performance modeling, 431
 reduction in heat pumping, 139
 regenerator optimization, 451
 two-component two-phase working fluid, 157
 vibration control of, 727
- Stirling Technology Co., 557
 STRV, 127, 905, 719
 Sumitomo Heavy Industries, 637, 765
 Sunpower M77 cooler vibration, 697
- Superconductor applications (*see* HTS applications)
- Superconductor Technologies Inc., 97
 Swales & Associates, 1, 747
- Tactical Stirling cryocoolers:
 BEI mini-linear, 119
 Hymatic, 109
 reduction of heat pumping, 139
 Signaal USFA, 139, 935
 space application of, 127, 719, 905
 Texas Instruments, 127, 163, 719, 905
 U.S. Army cooler program, 17
 vibration reduction of, 719, 727
- Temperature Stabilization of G-M, 765
 Tension-band support for cryo loads, 773
 Texas Instruments tactical Stirling coolers:
 1W-80K cooldown characteristics, 163
 1W-80K qualification for STRV-2, 127
 in STRV flight experiments, 127, 719, 905
- Thermal conductivity (*see* Conductance measurements)
- Thermal storage, 60K, 747
- Thermal switch, 795
 Throttle-cycle (*see* J-T cryocoolers)
 Transient cooldown, modeling of, 163
 TRW cryocooler activities:
 3503 and 6020 pulse tubes, 1, 173, 183
 AIRS pulse tube, 195, 885, 895
 miniature pulse tube, 1, 203
 Turbo Brayton cryocoolers, 1, 465, 475
 Turboalternator, 475
- Ukraine Academy of Sciences, 529
 Univ. Complutense of Madrid, 925
 Univ. of California, UCLA, 301
 Univ. of California, UCSB, 577, 587
 Univ. of Colorado, Boulder, 345, 441
 Univ. of Giessen, 393
 Univ. of Karlsruhe, 255
 Univ. of Oxford, 319
 Univ. of Southampton, 375
 Univ. of Toronto, 711
 Univ. of Tsukuba, 355, 365
 Univ. of Twente, 597, 727, 935
 Univ. of Wisconsin, 295, 547
 Utah State University, 773, 807
- Valve optimization for 4K G-M, 637, 643
 Valve optimization for 80K pulse tube, 247
 Vibration, cooler generated:
 absorber for controlling, 109
 algorithms for controlling, 705, 727
 effect on PC detectors at 4K, 949
 electronics for controlling, 697, 711, 719
 flight experiment results, 719
 individual cooler vibration test results:
 APD CryoTiger, 521, 737
 Ball 2W-55K single-stage AFP, 55
 Ball 30K two-stage, 69
 Ball COOLLAR J-T, 493
 Hughes ISSC, 705
 Hymatic 80K, 109
 MOPITT with MMS 50-80K, 711
 Sunpower M77, 697
 Texas Instruments 0.2W-80K, 719
 Texas Instruments 1W-80K, 127
 TRW 3503 and 60K pulse tubes, 173, 183
- Vibration, external input:
 piston motion during launch, 69, 421